

Announced Care Inspection Report 10 July 2018



Bestdentalcare

Type of Service: Independent Hospital (IH) – Dental Treatment

Address: Quaker Buildings, 80 High Street, Lurgan BT66 8BB

Tel No: 028 3832 2257

Inspector: Philip Colgan

www.rqia.org.uk

Assurance, Challenge and Improvement in Health and Social Care

It should be noted that this inspection report should not be regarded as a comprehensive review of all strengths and areas for improvement that exist in the service. The findings reported on are those which came to the attention of RQIA during the course of this inspection. The findings contained within this report do not exempt the service from their responsibility for maintaining compliance with legislation, standards and best practice.

1.0 What we look for



In respect of dental practices for the 2018/19 inspection year we are moving to a more focused, shorter inspection which will concentrate on the following key patient safety areas:

- management of medical emergencies
- infection prevention and control
- decontamination of reusable dental instruments
- radiology and radiation safety
- review of areas for improvement from the last inspection

2.0 Profile of service

This is a registered dental practice with two registered places providing general dental services.

3.0 Service details

Organisation/Registered Provider: Stuart Best & Associates Limited (T/A Bestdentalcare)	Registered Manager: Mr Stuart Best
Responsible Individual: Mr Stuart Best	
Person in charge at the time of inspection: Mr Stuart Best	Date manager registered: 13 April 2012
Categories of care: Independent Hospital (IH) – Dental Treatment	Number of registered places: 2

4.0 Action/enforcement taken following the most recent inspection dated 25 July 2017

The most recent inspection of the establishment was an announced care inspection. The completed QIP was returned and approved by the care inspector.

4.1 Review of areas for improvement from the last care inspection dated 25 July 2017

Areas for improvement from the last care inspection		
Action required to ensure compliance with The Independent Health Care Regulations (Northern Ireland) 2005		Validation of compliance
<p>Area for improvement 1</p> <p>Ref: Regulation 19 (2) Schedule 2 (as amended)</p> <p>Stated: First time</p>	<p>The registered person shall ensure that all of the relevant information as outlined in Schedule 2 of The Independent Health Care Regulations (Northern Ireland) 2005 is sought and retained in respect of any new staff (including self-employed staff) recruited. This should include:</p> <ul style="list-style-type: none"> • two written references, one of which should be from the current/previous employer • details of full employment history, including an explanation of any gaps in employment • criminal conviction declaration 	Met
<p>Action taken as confirmed during the inspection:</p> <p>Discussion with the responsible individual and review of documentation evidenced that this area for improvement has been met.</p>		
Action required to ensure compliance with The Minimum Standards for Dental Care and Treatment (2011)		Validation of compliance
<p>Area for improvement 1</p> <p>Ref: Standard 11.1</p> <p>Stated: First time</p>	<p>The registered person shall further develop the recruitment policy to include that the following information will be obtained and retained prior to staff (including self-employed staff) commencing employment:</p> <ul style="list-style-type: none"> • enhanced AccessNI disclosure check • positive proof of identity, including a recent photograph • two written references, one of which should be from the current/most recent employer • details of full employment history, including an explanation of any gaps in employment • documentary evidence of qualifications, 	Met

	<p>where applicable</p> <ul style="list-style-type: none"> evidence of current GDC registration, where applicable criminal conviction declaration confirmation that the person is physically and mentally fit to fulfil their duties evidence of professional indemnity insurance, where applicable 	
<p>Area for improvement 2</p> <p>Ref: Standard 13.2</p> <p>Stated: First time</p>	<p>The registered person shall ensure that the following is addressed in keeping with best infection prevention and control practice:</p> <ul style="list-style-type: none"> mop buckets should be maintained clean mop heads should be renewed on a regular basis spray cleaner containers should not be hung against the mop buckets mop heads should be stored inverted to dry 	<p>Met</p>
<p>Action taken as confirmed during the inspection:</p> <p>The inspector confirmed during the inspection that this area for improvement has been met.</p>		

5.0 Inspection findings

An announced inspection took place on 10 July 2018 from 08.30 to 09.45.

This inspection was underpinned by The Health and Personal Social Services (Quality, Improvement and Regulation) (Northern Ireland) Order 2003, The Independent Health Care Regulations (Northern Ireland) 2005, The Regulation and Improvement Authority (Independent Health Care) (Fees and Frequency of Inspections) (Amendment) Regulations (Northern Ireland) 2011 and the Department of Health (DOH) Minimum Standards for Dental Care and Treatment (2011).

A poster informing patients that an inspection was being conducted was displayed.

During the inspection the inspector met with Mr Stuart Best, responsible individual, and two dental nurses. A tour of some areas of the premises was also undertaken.

The findings of the inspection were provided to Mr Best at the conclusion of the inspection.

5.1 Management of medical emergencies

Management of medical emergencies

A review of arrangements in respect of the management of a medical emergency evidenced that, in the main, emergency medicines in keeping with the British National Formulary (BNF), and emergency equipment as recommended by the Resuscitation Council (UK) guidelines were retained. However, there was no Adrenaline available in the 500mcg dose for administration to adults or a child over 12 years as outlined in the BNF. This was discussed with Mr Best who confirmed that this medication would be provided.

A robust system was in place to ensure that emergency medicines and equipment do not exceed their expiry date.

Review of training records and discussion with staff confirmed that the management of medical emergencies is included in the induction programme and training is updated on an annual basis in keeping with best practice guidance. The most recent occasion staff completed medical emergency refresher training was during January 2018.

Discussion with staff demonstrated that they have a good understanding of the actions to be taken in the event of a medical emergency and the location of medical emergency medicines and equipment.

Areas of good practice

The review of the arrangements in respect of the management of a medical emergency confirmed that this dental practice takes a proactive approach to this key patient safety area. This includes ensuring that staff have the knowledge and skills to react to a medical emergency, should it arise.

Areas for improvement

No areas for improvement were identified during the inspection.

	Regulations	Standards
Areas for improvement	0	0

5.2 Infection prevention and control

Infection prevention and control (IPC)

During a tour of the premises, it was evident that the practice, including the clinical and decontamination areas, was clean, tidy and uncluttered.

The practice continues to audit compliance with Health Technical Memorandum (HTM) 01-05: Decontamination in Primary Care Dental Practices using the Infection Prevention Society (IPS) audit tool. This audit includes key elements of IPC, relevant to dentistry, including the

arrangements for environmental cleaning, the use of personal protective equipment, hand hygiene practice, and waste and sharps management.

A review of the most recent IPS audit, completed during July 2018, evidenced that the audit had been completed in a meaningful manner and had identified areas of good practice. It was confirmed that should the audit identify areas for improvement, an action plan would be generated to address the issues identified.

In discussion it was suggested that the audits be carried out by the dental nurses on a rotational basis. This process will help to empower staff and will promote staff understanding of the audit, IPC procedures and best practice and provide the staff members with verifiable Continuing Professional Development (CPD). Staff confirmed that the findings of audits are discussed at staff meetings.

Arrangements were in place to ensure that staff received IPC training commensurate with their roles and responsibilities, and during discussion with staff it was confirmed that they had a good level of knowledge and understanding of IPC procedures.

Areas of good practice

A review of the current arrangements evidenced that standards in respect of infection prevention and control practice are being given high priority. This includes proactively auditing practice, taking action when issues are identified and ensuring staff have the knowledge and skills to ensure standards are maintained.

Areas for improvement

No areas for improvement were identified during the inspection.

	Regulations	Standards
Areas for improvement	0	0

5.3 Decontamination of reusable dental instruments

Decontamination of reusable dental instruments

A decontamination room, separate from patient treatment areas and dedicated to the decontamination process, was available. The decontamination room facilitates the flow from dirty through to clean areas for the cleaning and sterilising of reusable instruments.

The processes in respect of the decontamination of reusable dental instruments are being audited in line with best practice outlined in HTM 01-05 using the IPS audit tool.

As discussed a review of the most recent IPS audit, completed during July 2018, evidenced that the audit had been completed in a meaningful manner and had identified areas of good practice.

Arrangements were in place to ensure that staff receive training in respect of the decontamination of reusable dental instruments commensurate with their roles and responsibilities.

A review of current practice evidenced that arrangements are in place to ensure that reusable dental instruments are appropriately cleaned, sterilised and stored following use in keeping with best practice guidance as outlined in HTM 01-05.

Appropriate equipment, including a washer disinfectant and a steam steriliser, has been provided to meet the practice requirements. The equipment used in the decontamination process had been appropriately validated and inspected in keeping with the written scheme of examination and equipment logbooks evidenced that periodic tests are undertaken and recorded in keeping with HTM 01-05.

Staff are aware of what equipment in the practice should be treated as single use and what equipment is suitable for decontamination. It was confirmed that single use devices are only used for single-treatment episodes and disposed of following use.

Areas of good practice

A review of the current arrangements evidenced that best practice as outlined in HTM 01-05 is being achieved in respect of the decontamination of reusable dental instruments. This includes proactively auditing practice, taking action when issues are identified and ensuring staff have the knowledge and skills to ensure standards are maintained.

Areas for improvement

No areas for improvement were identified during the inspection.

	Regulations	Standards
Areas for improvement	0	0

5.4 Radiology and radiation safety

Radiology and radiation safety

The practice has two surgeries equipped with an intra-oral x-ray machine.

Mr Best was aware of the most recent changes to the legislation surrounding radiology and radiation safety and a radiation protection advisor (RPA) and medical physics expert (MPE) have been appointed.

A dedicated radiation protection file containing all relevant information was in place. The radiation protection supervisor (RPS) regularly reviews the information contained within the file to ensure that it is current.

The appointed RPA completes a quality assurance check every three years. A review of the report of the most recent visit by the RPA in January 2016 demonstrated that any recommendations made have been addressed.

Staff spoken with demonstrated sound knowledge of radiology and radiation safety in keeping with their roles and responsibilities.

All dentists take a proactive approach to radiation safety and protection by conducting a range of audits, including x-ray quality grading and justification and clinical evaluation recording.

Areas of good practice

A review of radiology and radiation safety arrangements evidenced that the radiation protection supervisor for this practice takes a proactive approach to the management of radiology and radiation safety.

Areas for improvement

No areas for improvement were identified during the inspection.

	Regulations	Standards
Areas for improvement	0	0

5.5 Equality data

Equality data

The arrangements in place in relation to the equality of opportunity for patients and the importance of staff being aware of equality legislation and recognising and responding to the diverse needs of patients was discussed with staff.

5.6 Patient and staff views

Patient and staff views

Thirteen patients submitted questionnaire responses to RQIA. All responses indicated that they felt their care was safe and effective, that they were treated with compassion, and that the service was well led. All patients indicated that they were very satisfied or satisfied with each of these areas of their care. The following comments were included in submitted questionnaire responses:

- “Stuart and his team are always professional and very pleasant.”
- “Care and treatment has always been exceptional.”

Four staff submitted questionnaire responses to RQIA. The responses indicated that they felt patient care was safe effective, that patients were treated with compassion, and that the service was well led. All staff indicated that they were very satisfied with each of these areas of patient care.

No comments were included in in submitted the questionnaire responses.

5.7 Total areas for improvement

	Regulations	Standards
Total number of areas for improvement	0	0

6.0 Quality improvement plan

There were no areas for improvement identified during this inspection, and a quality improvement plan (QIP) is not required or included as part of this inspection report.



The Regulation and Quality Improvement Authority
9th Floor
Riverside Tower
5 Lanyon Place
BELFAST
BT1 3BT

Tel 028 9536 1111
Email info@rqia.org.uk
Web www.rqia.org.uk
 [@RQIANews](https://twitter.com/RQIANews)

Assurance, Challenge and Improvement in Health and Social Care