

# Announced Care Inspection Report 9 October 2018



## Diamond Dental Clinic

**Type of Service: Independent Hospital (IH) – Dental Treatment**

**Address: 7c Burn Road, Cookstown BT80 8DJ**

**Tel No: 028 86762200**

**Inspectors: Stephen O'Connor and Bridget Dougan**

[www.rqia.org.uk](http://www.rqia.org.uk)

Assurance, Challenge and Improvement in Health and Social Care

It should be noted that this inspection report should not be regarded as a comprehensive review of all strengths and areas for improvement that exist in the service. The findings reported on are those which came to the attention of RQIA during the course of this inspection. The findings contained within this report do not exempt the service from their responsibility for maintaining compliance with legislation, standards and best practice.

## 1.0 What we look for



In respect of dental practices for the 2018/19 inspection year we are moving to a more focused, shorter inspection which will concentrate on the following key patient safety areas:

- management of medical emergencies
- infection prevention and control
- decontamination of reusable dental instruments
- radiology and radiation safety
- review of areas for improvement from the last inspection

## 2.0 Profile of service

This is a registered dental practice with six registered places.

## 3.0 Service details

<b>Registered Provider:</b> Diamond Campbell Ltd  <b>Responsible Individual:</b> Mr Liam Diamond	<b>Registered Manager:</b> Mr Liam Diamond
<b>Person in charge at the time of inspection:</b> Mr Liam Diamond	<b>Date manager registered:</b> 9 January 2014
<b>Categories of care:</b> Independent Hospital (IH) – Dental Treatment	<b>Number of registered places:</b> 6

## 4.0 Action/enforcement taken following the most recent inspection dated 09 October 2017

The most recent inspection of the Diamond Dental Clinic was an announced care inspection. No areas for improvement were made during this inspection.

## 4.1 Review of areas for improvement from the last care inspection dated 09 October 2017

There were no areas for improvement made as a result of the last care inspection.

## 5.0 Inspection findings

An announced inspection took place on 9 October 2018 from 10.00 to 12.30.

This inspection was underpinned by The Health and Personal Social Services (Quality, Improvement and Regulation) (Northern Ireland) Order 2003, The Independent Health Care Regulations (Northern Ireland) 2005, The Regulation and Improvement Authority (Independent Health Care) (Fees and Frequency of Inspections) (Amendment) Regulations (Northern Ireland) 2011 and the Department of Health (DOH) Minimum Standards for Dental Care and Treatment (2011).

A poster informing patients that an inspection was being conducted was displayed.

During the inspection the inspectors met with Mr Liam Diamond, responsible individual; the practice manager; one lead dental nurse; and one dental nurse. A tour of the premises was also undertaken.

The findings of the inspection were provided to Mr Diamond and the practice manager at the conclusion of the inspection.

## 5.1 Management of medical emergencies

### Management of medical emergencies

A review of arrangements in respect of the management of a medical emergency evidenced that emergency medicines in keeping with the British National Formulary (BNF), and emergency equipment as recommended by the Resuscitation Council (UK) guidelines were retained. A robust system was in place to ensure that emergency medicines and equipment do not exceed their expiry date.

Review of training records and discussion with staff confirmed that the management of medical emergencies is included in the induction programme and training is updated on an annual basis in keeping with best practice guidance. The most recent occasion staff completed medical emergency refresher training was November 2017.

Discussion with staff demonstrated that they have a good understanding of the actions to be taken in the event of a medical emergency and the location of medical emergency medicines and equipment.

### Areas of good practice

The review of the arrangements in respect of the management of a medical emergency confirmed that this dental practice takes a proactive approach to this key patient safety area. This includes ensuring that staff have the knowledge and skills to react to a medical emergency, should it arise.

### Areas for improvement

No areas for improvement were identified during the inspection.

	Regulations	Standards
Areas for improvement	0	0

## 5.2 Infection prevention and control

### Infection prevention and control (IPC)

During a tour of the premises, it was evident that the practice, including the clinical and decontamination areas was clean, tidy and uncluttered.

The practice continues to audit compliance with Health Technical Memorandum (HTM) 01-05: Decontamination in Primary Care Dental Practices using the Infection Prevention Society (IPS) audit tool. This audit includes key elements of IPC, relevant to dentistry, including the arrangements for environmental cleaning, the use of personal protective equipment, hand hygiene practice, and waste and sharps management.

A review of the most recent IPS audit, completed by the lead decontamination nurse during June 2018, evidenced that the audit had been completed in a meaningful manner and had

identified areas of good practice. Mr Diamond confirmed that should the audit identify areas for improvement an action plan would be generated to address the identified issues, that learning from audits are shared with staff at the time and discussed during staff meetings. It was suggested that all clinical staff could contribute to the completion of the audit. This will help to empower staff and will promote staff understanding of the audit, IPC procedures and best practice.

Arrangements were in place to ensure that staff received IPC training commensurate with their roles and responsibilities and during discussion with staff it was confirmed that they had a good level of knowledge and understanding of IPC procedures.

During discussion it was identified that conventional needles and syringes are used by the dentists when administering local anaesthetic as opposed to using safer sharps. Regulation 5 (1) (b) of The Health and Safety (Sharp Instruments in Healthcare) Regulations (Northern Ireland) 2013 states 'safer sharps are used so far as is reasonably practicable'. Mr Diamond confirmed that it is the responsibility of the user of sharps to safely dispose of them. A risk assessment on the use of sharps had been completed. It was advised that consideration should be given to using safer sharps.

### Areas of good practice

A review of the current arrangements evidenced that standards in respect of infection prevention and control practice are being given high priority. This includes proactively auditing practice, taking action when issues are identified and ensuring staff have the knowledge and skills to ensure standards are maintained.

### Areas for improvement

No areas for improvement were identified during the inspection.

	Regulations	Standards
Areas for improvement	0	0

## 5.3 Decontamination of reusable dental instruments

### Decontamination of reusable dental instruments

A decontamination room separate from patient treatment areas and dedicated to the decontamination process was available. The decontamination room facilitates the flow from dirty through to clean areas for the cleaning and sterilising of reusable instruments.

The processes in respect of the decontamination of reusable dental instruments are being audited in line with best practice outlined in HTM 01-05 using the IPS audit tool.

Arrangements were in place to ensure that staff receives training in respect of the decontamination of reusable dental instruments commensurate with their roles and responsibilities.

A review of current practice evidenced that arrangements are in place to ensure that reusable dental instruments are appropriately cleaned, sterilised and stored following use in keeping with best practice guidance as outlined in HTM 01-05.

Appropriate equipment, including a washer disinfectant and three steam sterilisers has been provided to meet the practice requirements. The equipment used in the decontamination process had been appropriately validated and inspected in keeping with the written scheme of examination and equipment logbooks evidenced that periodic tests are undertaken and recorded in keeping with HTM 01-05.

Staff are aware of what equipment in the practice should be treated as single use and what equipment is suitable for decontamination. It was confirmed that single use devices are only used for single-treatment episodes and disposed of following use.

**Areas of good practice**

A review of the current arrangements evidenced that best practice as outlined in HTM 01-05 is being achieved in respect of the decontamination of reusable dental instruments. This includes proactively auditing practice, taking action when issues are identified and ensuring staff have the knowledge and skills to ensure standards are maintained.

**Areas for improvement**

No areas for improvement were identified during the inspection.

	Regulations	Standards
<b>Areas for improvement</b>	<b>0</b>	<b>0</b>

**5.4 Radiology and radiation safety**

**Radiology and radiation safety**

The practice has six surgeries, each of which has an intra-oral x-ray machine.

Mr Diamond is the radiation protection supervisor (RPS) and he confirmed that he was aware of the most recent changes to the legislation surrounding radiology and radiation safety and a radiation protection advisor (RPA) and medical physics expert (MPE) have been appointed.

A dedicated radiation protection file containing all relevant information was in place. The RPS regularly reviews the information contained within the file to ensure that it is current.

The appointed RPA completes a quality assurance check every three years. A review of the report of the most recent visit by the RPA demonstrated that any recommendations made have been addressed.

Staff spoken with demonstrated sound knowledge of radiology and radiation safety in keeping with their roles and responsibilities.

The RPS takes a proactive approach to radiation safety and protection by conducting a range of audits, including x-ray quality grading and justification and clinical evaluation recording.



## Areas of good practice

A review of radiology and radiation safety arrangements evidenced that the radiation protection supervisor for this practice takes a proactive approach to the management of radiology and radiation safety.

## Areas for improvement

No areas for improvement were identified during the inspection.

	Regulations	Standards
Areas for improvement	0	0

### 5.5 Equality data

#### Equality data

The arrangements in place in relation to the equality of opportunity for patients and the importance of staff being aware of equality legislation and recognising and responding to the diverse needs of patients was discussed with Mr Diamond.

Discussion with Mr Diamond and review of information evidenced that the equality data collected was managed in line with best practice.

### 5.6 Patient and staff views

Twenty patients submitted questionnaire responses to RQIA. All indicated that they felt their care was safe and effective, that they were treated with compassion and that the service was well led. All patients indicated that they were very satisfied with each of these areas of their care.

Four staff submitted questionnaire responses to RQIA. All indicated that they felt patient care was safe, effective, that patients were treated with compassion and that the service was well led. All staff indicated that they were very satisfied with each of these areas of patient care.

Comments included in submitted questionnaire responses are as follows:

- “Lovely staff and very professional dentist”.
- “Diamond Dental are first class all round”.
- “Always good to get an appointment and all staff are friendly and caring”.
- “I have only positive things to say about Diamond Dental Clinic. I always feel I am in the best hands”.
- “Always looked after extremely well by all members of staff”.

**5.7 Total number of areas for improvement**

	<b>Regulations</b>	<b>Standards</b>
<b>Total number of areas for improvement</b>	<b>0</b>	<b>0</b>

**6.0 Quality improvement plan**

There were no areas for improvement identified during this inspection, and a QIP is not required or included as part of this inspection report.





The Regulation and  
Quality Improvement  
Authority

The Regulation and Quality Improvement Authority  
9th Floor  
Riverside Tower  
5 Lanyon Place  
BELFAST  
BT1 3BT

**Tel** 028 9536 1111  
**Email** [info@rqia.org.uk](mailto:info@rqia.org.uk)  
**Web** [www.rqia.org.uk](http://www.rqia.org.uk)  
**Twitter** @RQIANews

