

Announced Care Inspection and Variation of Registration Inspection Report

3 July 2018



Bupa Dental Care - Derry

Type of Service: Independent Hospital (IH) – Dental Treatment

Address: Unit 1-2 Timberquay, Strand Road, Derry BT48 7NR

Tel No: 028 7136 8448

Inspector: Philip Colgan

www.rgia.org.uk

Assurance, Challenge and Improvement in Health and Social Care

It should be noted that this inspection report should not be regarded as a comprehensive review of all strengths and areas for improvement that exist in the service. The findings reported on are those which came to the attention of RQIA during the course of this inspection. The findings contained within this report do not exempt the service from their responsibility for maintaining compliance with legislation, standards and best practice.

1.0 What we look for



In respect of dental practices for the 2018/19 inspection year we are moving to a more focused, shorter inspection which will concentrate on the following key patient safety areas:

- management of medical emergencies
- infection prevention and control
- decontamination of reusable dental instruments
- radiology and radiation safety
- review of areas for improvement from the last inspection

2.0 Profile of service

This is a registered dental practice with four registered places providing general dental services.

3.0 Service details

Organisation/Registered Provider: Oasis Dental Care (Central) Ltd Responsible Individual: Mr Andy Relf	Registered Manager: Mrs Leanne Kerrigan
Person in charge at the time of inspection: Mrs Leanne Kerrigan	Date manager registered: 23 June 2017
Categories of care: Independent Hospital (IH) – Dental Treatment	Number of registered places: 4 increasing to 5 following this inspection

4.0 Action/enforcement taken following the most recent inspection dated 3 August 2017

The most recent inspection of the establishment was an announced care inspection. No areas for improvement were made during this inspection.

4.1 Review of areas for improvement from the last care inspection dated 3 August 2017

There were no areas for improvement made as a result of the last care inspection.

5.0 Inspection findings

An announced variation to registration inspection took place on 3 July 2018 from 10.15 to 11.25.

This inspection was underpinned by The Health and Personal Social Services (Quality, Improvement and Regulation) (Northern Ireland) Order 2003, The Independent Health Care Regulations (Northern Ireland) 2005, The Regulation and Improvement Authority (Independent Health Care) (Fees and Frequency of Inspections) (Amendment) Regulations (Northern Ireland) 2011 and the Department of Health (DOH) Minimum Standards for Dental Care and Treatment (2011).

An application of variation to the registration of the practice was submitted to RQIA by Bupa Dental Care – Derry. The application was to increase the number of registered dental chairs from four to five.

The inspection focused on the themes for the 2018/19 inspection year and reviewed the readiness of the practice for the provision of private dental care and treatment associated with the application of variation. The variation to registration to was approved from a care perspective following this inspection.

A poster informing patients that an inspection was being conducted was displayed.

During the inspection the inspector met with Mrs Leanne Kerrigan, registered manager, and a dental nurse. A tour of some areas of the premises was also undertaken.

The findings of the inspection were provided to Mrs Kerrigan at the conclusion of the inspection.

5.1 Management of medical emergencies

Management of medical emergencies

A review of arrangements in respect of the management of a medical emergency evidenced that emergency medicines, in keeping with the British National Formulary (BNF), and emergency equipment as recommended by the Resuscitation Council (UK) guidelines, were retained. A robust system was in place to ensure that emergency medicines and equipment do not exceed their expiry date.

Review of training records and discussion with staff confirmed that the management of medical emergencies is included in the induction programme and training is updated on an annual basis in keeping with best practice guidance. The most recent occasion staff completed medical emergency refresher training was during April 2018.

Discussion with staff demonstrated that they have a good understanding of the actions to be taken in the event of a medical emergency and the location of medical emergency medicines and equipment.

Areas of good practice

The review of the arrangements in respect of the management of a medical emergency confirmed that this dental practice takes a proactive approach to this key patient safety area. This includes ensuring that staff have the knowledge and skills to react to a medical emergency, should it arise.

Areas for improvement

No areas for improvement were identified during the inspection.

	Regulations	Standards
Areas for improvement	0	0

5.2 Infection prevention and control

Infection prevention and control (IPC)

The arrangements in relation to the newly established dental surgery were reviewed. The flooring in the surgery was impervious and coved where it meets the walls. The surgery was tidy and uncluttered and work surfaces were intact and easy to clean.

A dedicated hand washing basin was available in the new surgery. A laminated/wipe-clean poster promoting hand hygiene was on display. Adequate supplies of liquid soap, disinfectant rub/gel and paper towels were observed. Personal protective equipment (PPE) was readily available.

Sharps boxes were safely positioned to prevent unauthorised access and had been signed and dated on assembly. It was confirmed during discussion that used sharps boxes will be locked with the integral lock and stored ready for collection away from public access.

Staff confirmed that the newly installed dental chair has an independent bottled-water system and that the dental unit water lines (DUWLs) are appropriately managed.

The clinical waste bin in the surgery was in keeping with best practice guidance. Appropriate arrangements are in place in the practice for the storage and collection of general and clinical waste, including sharps waste.

It was confirmed that the practice has sufficient dental instruments to meet the demands of the new surgery.

Areas of good practice

A review of the current arrangements evidenced that standards in respect of infection prevention and control practice are being given high priority. This includes proactively auditing practice, taking action when issues are identified and ensuring staff have the knowledge and skills to ensure standards are maintained.

Areas for improvement

No areas for improvement were identified during the inspection.

	Regulations	Standards
Areas for improvement	0	0

5.3 Decontamination of reusable dental instruments

Decontamination of reusable dental instruments

A decontamination room, separate from patient treatment areas and dedicated to the decontamination process, was available. The decontamination room facilitates the flow from dirty through to clean areas for the cleaning and sterilising of reusable instruments.

The processes in respect of the decontamination of reusable dental instruments are being audited in line with best practice outlined in HTM 01-05 using the IPS audit tool.

As discussed a review of the most recent IPS audit, completed during April 2018, evidenced that the audit had been completed in a meaningful manner and had identified areas of good practice.

Arrangements were in place to ensure that staff receive training in respect of the decontamination of reusable dental instruments commensurate with their roles and responsibilities.

A review of current practice evidenced that arrangements are in place to ensure that reusable dental instruments are appropriately cleaned, sterilised and stored following use in keeping with best practice guidance as outlined in HTM 01-05.

Appropriate equipment, including a washer disinfectant and two steam sterilisers, has been provided to meet the practice requirements. The equipment used in the decontamination process had been appropriately validated and inspected in keeping with the written scheme of examination and equipment logbooks evidenced that periodic tests are undertaken and recorded in keeping with HTM 01-05.

Staff are aware of what equipment in the practice should be treated as single use and what equipment is suitable for decontamination. It was confirmed that single use devices are only used for single-treatment episodes and disposed of following use.

Areas of good practice

A review of the current arrangements evidenced that best practice as outlined in HTM 01-05 is being achieved in respect of the decontamination of reusable dental instruments. This includes proactively auditing practice, taking action when issues are identified and ensuring staff have the knowledge and skills to ensure standards are maintained.

Areas for improvement

No areas for improvement were identified during the inspection.

	Regulations	Standards
Areas for improvement	0	0

5.4 Radiology and radiation safety

Radiology and radiation safety

The practice has four surgeries equipped with an intra-oral x-ray machine. In addition, an intra-oral x-ray machine has been installed in the new surgery. It was confirmed that as this machine is new it is under manufacturer's warranty and it will be serviced and maintained in keeping with the manufacturer's instructions.

Mrs Kerrigan was aware of the most recent changes to the legislation surrounding radiology and radiation safety and a radiation protection advisor (RPA) and medical physics expert (MPE) have been appointed.

A dedicated radiation protection file containing all relevant information was in place. The radiation protection supervisor (RPS) regularly reviews the information contained within the file to ensure that it is current.

The appointed RPA completes a quality assurance check every three years. A review of the report of the most recent visit by the RPA demonstrated that any recommendations made have been addressed. A critical examination and acceptance test of the new intra-oral x-ray machine had been undertaken by the radiation protection advisor (RPA) on 11 April 2018. Review of the report demonstrated that the recommendations made have been addressed.

Staff spoken with demonstrated sound knowledge of radiology and radiation safety in keeping with their roles and responsibilities.

All dentists take a proactive approach to radiation safety and protection by conducting a range of audits, including x-ray quality grading and justification and clinical evaluation recording.

Areas of good practice

A review of radiology and radiation safety arrangements evidenced that the radiation protection supervisor for this practice takes a proactive approach to the management of radiology and radiation safety.

Areas for improvement

No areas for improvement were identified during the inspection.

	Regulations	Standards
Areas for improvement	0	0

5.5 Application of variation

An application of variation to the registration of the practice was submitted to RQIA by Bupa Dental Care – Derry, to increase the number of registered dental chairs from four to five.

Prior to the inspection a range of information relevant to the service was reviewed. This included the following records:

- review of the submitted variation to registration application
- the previous care inspection report

In addition to the arrangements reviewed, as previously discussed, regarding infection prevention and control and decontamination and radiology, the following records were examined during the inspection:

- statement of purpose
- patient guide

- recruitment and selection

5.6 Equality data

Equality data

The arrangements in place in relation to the equality of opportunity for patients and the importance of staff being aware of equality legislation and recognising and responding to the diverse needs of patients was discussed with staff .

5.7 Patient and staff views

Patient and staff views

Three patients submitted questionnaire responses to RQIA. All responses indicated that they felt their care was safe and effective, that they were treated with compassion and that the service was well led. All patients indicated that they were very satisfied with each of these areas of their care. The following comment was included in a submitted questionnaire response:

- “Very professional.”

RQIA also invited staff to complete an electronic questionnaire prior to the inspection. No completed staff questionnaires were received.

5.8 Total areas for improvement

	Regulations	Standards
Total number of areas for improvement	0	0

6.0 Quality improvement plan

There were no areas for improvement identified during this inspection, and a quality improvement plan (QIP) is not required or included as part of this inspection report.



The **Regulation** and
Quality Improvement
Authority

The Regulation and Quality Improvement Authority
9th Floor
Riverside Tower
5 Lanyon Place
BELFAST
BT1 3BT

Tel 028 9536 1111
Email info@rqia.org.uk
Web www.rqia.org.uk
 [@RQIANews](https://twitter.com/RQIANews)

Assurance, Challenge and Improvement in Health and Social Care