

Announced Inspection

Name of Establishment: Smiles Dental Omagh

Establishment ID No: 11689

Date of Inspection: 25 November 2014

Inspector's Name: Philip Colgan

Inspection No: 20719

The Regulation and Quality Improvement Authority
9th floor Riverside Tower, 5 Lanyon Place, Belfast, BT1 3BT
Tel: 028 9051 7500 Fax: 028 9051 7501

1.0 General Information

Name of establishment:	Smiles Dental Omagh
Address:	27 Campsie Road Omagh BT79 0AE
Telephone number:	028 8224 4811
Registered provider: Responsible person:	Smiles Dental Practices North Ltd Miss Jennifer Kershaw
Registered manager:	Miss Linda Burns
Person in charge of the establishment at the time of Inspection:	Miss Linda Burns
Registration category:	IH-DT
Type of service provision:	Private dental treatment
Maximum number of places registered: (dental chairs)	4
Date and type of previous inspection:	Announced Inspection 11 November 2013
Date and time of inspection:	25 November 2014 08:45-10:05
Name of inspector:	Philip Colgan

2.0 Introduction

The Regulation and Quality Improvement Authority (RQIA) is empowered under The Health and Personal Social Services (Quality, Improvement and Regulation) (Northern Ireland) Order 2003 to inspect dental practices providing private dental care and treatment. A minimum of one inspection per year is required.

This is a report of the announced inspection to assess the quality of services being provided. The report details the extent to which the standards measured during inspection were met.

3.0 Purpose of the Inspection

The purpose of this inspection was to consider whether the service provided to patients was in accordance with their assessed needs and preferences and was in compliance with legislative requirements, minimum standards and other good practice indicators. This was achieved through a process of analysis and evaluation of available evidence.

RQIA not only seeks to ensure that compliance with regulations and standards is met but also aims to use inspection to support providers in improving the quality of services. For this reason, inspection involves in-depth examination of an identified number of aspects of service provision.

The aims of the inspection were to examine the policies, practices and monitoring arrangements for the provision of dental care, and to determine the provider's compliance with the following:

- The HPSS (Quality, Improvement and Regulation) (Northern Ireland) Order 2003;
- The Independent Health Care Regulations (Northern Ireland) 2005;
- The Regulation and Improvement Authority (Independent Health Care) (Fees and Frequency of Inspections) (Amendment) Regulations (Northern Ireland) 2011;
- The Minimum Standards for Dental Care and Treatment 2011; and
- Health Technical Memorandum HTM 01-05: Decontamination in Primary Care Dental Practices and Professional Estates Letter (PEL) (13) 13.

Other published standards which guide best practice may also be referenced during the inspection process.

4.0 Methods/Process

Committed to a culture of learning, the RQIA has developed an approach which uses self-assessment, a critical tool for learning, as a method for preliminary assessment of achievement of the Minimum Standards.

The inspection process has three key parts; self-assessment (including completion of self-declaration), pre-inspection analysis and the inspection visit by the inspector.

Specific methods/processes used in this inspection include the following:

- a self-assessment was submitted prior to the inspection and has been analysed;
- discussion with Miss Linda Burns, registered manager;
- examination of relevant records;
- consultation with relevant staff;
- tour of the premises; and
- evaluation and feedback.

Any other information received by RQIA about this practice has also been considered by the inspector in preparing for this inspection.

5.0 Consultation Process

During the course of the inspection, the inspector spoke with staff on duty. Questionnaires were provided to staff prior to the inspection by the practice, on behalf of the RQIA to establish their views regarding the service. Matters raised by staff were addressed by the inspector during the course of this inspection:

	Number	
Discussion with staff	1	
Staff Questionnaires	10 issued	8 returned

Prior to the inspection the registered person/s were asked, in the form of a declaration, to confirm that they have a process in place for consulting with service users and that a summary of the findings has been made available. The consultation process may be reviewed during this inspection.

6.0 Inspection Focus

The inspection sought to establish the level of compliance achieved with respect to the selected DHSSPS Minimum Standards for Dental Care and Treatment and a thematic focus incorporating selected standards and good practice indicators. An assessment on the progress in relation to the issues raised during and since the previous inspection was also undertaken.

In 2012 the DHSSPS requested that RQIA make compliance with best practice in local decontamination, as outlined in HTM 01-05 Decontamination in Primary Care Dental Premises, a focus for the 2013/14 inspection year.

The DHSSPS and RQIA took the decision to review compliance with best practice over two years. The focus of the two years is as follows:

- Year 1 Decontamination 2013/14 inspection year
- Year 2 Cross infection control 2014/15 inspection year

Standard 13 – Prevention and Control of Infection [Safe and effective care]

The dental service takes every reasonable precaution to make sure you are not exposed to risk of infection.

The decontamination section of the Infection Prevention Society Audit tool, which has been endorsed by the Department of Health, was used as a framework for development of a self-assessment tool and for planned inspections during 2013/14.

The following sections of the 2013 edition of the Infection Prevention Society Audit tool, which has been endorsed by the Department of Health have been used as a framework for the development of a self-assessment tool and for planned inspections in 2014/15:

- Prevention of Blood-borne virus exposure;
- Environmental design and cleaning;
- Hand Hygiene;
- Management of Dental Medical Devices;
- Personal Protective Equipment; and
- Waste.

A number of aspects of the Decontamination section of the Audit tool have also been revisited.

RQIA have highlighted good practice guidance sources to service providers, making them available on our website where possible. Where appropriate, requirements will be made against legislation and recommendations will be made against DHSSPS Minimum Standards for Dental Care and Treatment (2011) and other recognised good practice guidance documents.

The registered provider/manager and the inspector have each rated the practice's compliance level against each section of the self-assessment.

The table below sets out the definitions that RQIA has used to categorise the service's performance:

Guidance - Compliance statements		
Compliance statement	Definition	Resulting Action in Inspection Report
0 - Not applicable		A reason must be clearly stated in the assessment contained within the inspection report.
1 - Unlikely to become compliant		A reason must be clearly stated in the assessment contained within the inspection report.
2 - Not compliant	Compliance could not be demonstrated by the date of the inspection.	In most situations this will result in a requirement or recommendation being made within the inspection report.
3 - Moving towards compliance	Compliance could not be demonstrated by the date of the inspection. However, the service could demonstrate a convincing plan for full compliance by the end of the Inspection year.	In most situations this will result in a requirement or recommendation being made within the inspection report.
4 – Substantially Compliant	Arrangements for compliance were demonstrated during the inspection. However, appropriate systems for regular monitoring, review and revision are not yet in place.	In most situations this will result in a recommendation, or in some circumstances a requirement, being made within the inspection report.
5 – Compliant	Arrangements for compliance were demonstrated during the inspection. There are appropriate systems in place for regular monitoring, review and any necessary revisions to be undertaken.	In most situations this will result in an area of good practice being identified and comment being made within the inspection report.

7.0 Profile of Service

Smiles Dental Omagh is a former residential building, adapted for use as a dental practice. It is located close to Omagh town centre. Public car parking is available nearby for patients.

Smiles Dental Omagh has four dental surgeries, waiting area, reception, a decontamination room, x-ray room, toilet, staff and storage facilities. A ground floor surgery and toilet is available for patients with a disability.

The practice provides private dental care to adults and NHS dental care to children and to adults who are exempt from charges.

Smiles Dental Omagh is supported by a team of associate dentists, a practice manager, hygienist, dental nurses and administrative staff.

Ownership of the practice has changed since initial registration with RQIA in February 2012. The registered provider is now Smiles Dental Practices North Ltd and the responsible person is Miss Jennifer Kershaw.

The establishment's statement of purpose outlines the range of services provided.

This practice is registered with RQIA as an independent hospital (IH) providing dental treatment (DT).

8.0 Summary of Inspection

This announced inspection of Smiles Dental Omagh was undertaken by Philip Colgan on 25 November 2014 between the hours of 08:45 and 10:05. Miss Linda Burns, registered manager, was available during the inspection and for verbal feedback at the conclusion of the inspection. The responsible person, Miss Jennifer Kershaw, was not available at the time of the inspection.

The requirement and recommendation made as a result of the previous inspection were also examined. Observations and discussion demonstrated that these have been addressed. The detail of the action taken by Miss Burns can be viewed in the section following this summary.

Prior to the inspection, Miss Burns completed a self-assessment using the standard criteria outlined in the theme inspected. The comments provided by Miss Burns in the self-assessment were not altered in any way by RQIA. The self-assessment is included as appendix one in this report.

During the course of the inspection the inspector met with staff, discussed operational issues, examined a selection of records and carried out a general inspection of the establishment.

Questionnaires were also issued to staff; eight were returned to RQIA within the timescale required.

Review of submitted questionnaires and discussion with a dental nurse evidenced that staff were knowledgeable regarding the inspection theme and that they have received training appropriate to their relevant roles. The dental nurse confirmed that staff are familiar with the practice policies and procedures and have received training in infection prevention and control. Clinical staff confirmed that they have been immunised against Hepatitis B.

Inspection Theme – Cross infection control

Dental practices in Northern Ireland have been directed by the DHSSPS, that best practice recommendations in the Health Technical Memorandum (HTM) 01-05, Decontamination in primary care dental practices, along with Northern Ireland amendments, should have been fully implemented by November 2012. HTM 01-05 was updated in 2013 and Primary Care Dental Practices were advised of this through the issue of Professional Estates Letter (PEL) (13) 13 on 01 October 2013. The PEL (13) 13 advised General Dental Practitioners of the publication of the 2013 version of HTM 01-05 and the specific policy amendments to the guidance that apply in Northern Ireland.

RQIA reviewed the compliance of the decontamination aspect of HTM 01-05 in the 2013/2014 inspection year. The focus of the inspection for the 2014/2015 inspection year is cross infection control. A number of aspects of the decontamination section of HTM 01-05 have also been revisited.

A copy of the 2013 edition of HTM 01-05 Decontamination in primary dental care practices is available at the practice for staff reference. Staff are familiar with best practice guidance outlined in the document and audit compliance on an ongoing basis.

The practice has a policy and procedure in place for the prevention and management of blood-borne virus exposure, including management of spillages, sharps and inoculation incidents in accordance with national guidance. Review of documentation and discussion with Miss Burns and the dental nurse evidenced that appropriate arrangements are in place for the prevention and management of blood-borne virus exposure. The dental nurse confirmed that staff are aware of, and are adhering to, the practice policy in this regard. Sharps management at the practice was observed to be in line with best practice.

The premises were clean and tidy and clutter was kept to a minimum. Satisfactory arrangements are in place for the cleaning of the general environment and dental equipment.

The practice has a hand hygiene policy and procedure in place and the dental nurse demonstrated that good practice is adhered to in relation to hand hygiene. Dedicated hand washing basins are available in the appropriate locations. Information promoting hand hygiene is provided for staff and patients.

A written scheme for the prevention of legionella is available. Procedures are in place for the use, maintenance, service and repair of all medical devices. Observations made and discussion with the dental nurse confirmed that dental unit water lines (DUWLs) are appropriately managed.

The practice has a policy and procedure in place for the use of personal protective equipment (PPE) and the dental nurse spoken with demonstrated awareness of this.

Observations made confirmed that PPE was readily available and used appropriately by staff.

Appropriate arrangements were in place for the management of general and clinical waste, including sharps. Waste was appropriately segregated and suitable arrangements were in place for the storage and collection of waste by a registered waste carrier. Relevant consignment notes are retained in the practice for at least three years.

A decontamination room, separate from patient treatment areas and dedicated to the decontamination process, is available. Appropriate validated equipment, including a washer disinfector and three steam sterilisers have been provided to meet the practice requirements. Equipment logbooks evidenced that periodic tests are undertaken and recorded in keeping with HTM 01-05.

The evidence gathered through the inspection process concluded that Smiles Dental Omagh is compliant with this inspection theme.

Miss Burns confirmed on the submitted self-assessment that arrangements are in place for consultation with patients at appropriate intervals, that feedback provided by patients has been used by the service to improve and that results of the consultation have been made available to patients.

This inspection resulted in no requirements or recommendations being made. Findings of the inspection can be found in the main body of the report.

The inspector wishes to thank Miss Burns and staff for their helpful discussions, assistance and hospitality throughout the inspection process.

9.0 Follow-up on Previous Issues

No	Regulation Ref.	Requirements	Action taken - as confirmed during this inspection	Inspector's Validation of Compliance
1	19(2)(d) Schedule 2	Ensure that all newly recruited staff have the required enhanced Access NI check prior to commencing employment. Should it transpire that an Access NI check has not been undertaken by the Health and Social Care Board for the identified member of staff, a check must be obtained.	Review of documentation and discussion with staff evidenced that this requirement has been addressed.	Compliant

No	Minimum Standard Ref.	Recommendations	Action Taken – as confirmed during this inspection	Inspector's Validation of Compliance
1	13	Review the manufacturer's guidance to ensure that the dental hand pieces are being cleaned in line with best practice. In the absence of manufacturer's guidance contact the manufacturer to confirm that the current practice is effective and retain written confirmation.	Review of documentation and discussion with staff evidenced that this recommendation has been addressed.	Compliant

10.0 Inspection Findings

10.1 Prevention of Blood-borne virus exposure

STANDARD 13 – Prevention and Control of Infection (Safe and effective care)

The dental service takes every reasonable precaution to make sure you are not exposed to risk of infection.

Criteria Assessed:

- **11.2** You receive care and treatment from a dental team (including temporary members) who have undergone appropriate checks before they start work in the service.
- **13.2** Your dental service adheres to the appropriate infection control policies and procedures in line with current best practice and legislation.
- **13.3** Your dental service has systems in place, including induction and ongoing training, to make sure these policies and procedures are known, and are being appropriately applied to the service at all times.

Inspection Findings:

Miss Burns rated the practice arrangements for the prevention of blood-borne virus exposure as substantially compliant on the self-assessment.

The practice has a policy and procedure in place for the prevention and management of bloodborne virus exposure, including management of spillages, sharps and inoculation incidents in accordance with national guidance.

Review of documentation and discussion with the dental nurse evidenced that:

- the prevention and management of blood-borne virus exposure is included in the staff induction programme;
- staff training has been provided for clinical staff;
- all staff have received an occupational health check; and
- records are retained regarding the Hepatitis B immunisation status of clinical staff.

Discussion with the dental nurse confirmed that staff are aware of the policies and procedures in place for the prevention and management of blood-borne virus exposure.

Observations made and discussion with the dental nurse evidenced that sharps are appropriately handled. Sharps boxes are wall mounted, appropriately used, signed and dated on assembly and final closure. Used sharps boxes are locked with the integral lock and stored ready for collection away from public access.

Discussion with the dental nurse and review of documentation evidenced that arrangements are in place for the management of a sharps injury, including needle stick injury. The dental nurse was aware of the actions to be taken in the event of a sharps injury.

Provider's overall assessment of the dental practice's compliance level against the standard assessed	Substantially compliant
Inspector's overall assessment of the dental practice's compliance level against the standard assessed	Compliant

10.2 Environmental design and cleaning

STANDARD 13 – Prevention and Control of Infection (Safe and effective care)

The dental service takes every reasonable precaution to make sure you are not exposed to risk of infection.

Criterion Assessed:

13.1 Your dental service's premises are clean.

Inspection Findings:

Miss Burns rated the practice arrangements for environmental design and cleaning as moving towards compliance on the self-assessment.

The practice has a policy and procedure in place for cleaning and maintaining the environment.

The inspector undertook a tour of the premises which were found to be maintained to a good standard of cleanliness. Clinical and decontamination areas were tidy and uncluttered and work surfaces were intact and easy to clean. Floor coverings are impervious and were coved or sealed at the edges. Fixtures, fittings, dental chairs and equipment were free from damage, dust and visible dirt.

Discussion with the dental nurse confirmed that appropriate arrangements are in place for cleaning including:

- equipment surfaces, including the dental chair, are cleaned between each patient;
- daily cleaning of floors, cupboard doors and accessible high level surfaces;
- weekly/monthly cleaning schedule;
- cleaning equipment is colour coded;
- cleaning equipment is stored in a non-clinical area; and
- dirty water is disposed of at an appropriate location.

Discussion with the dental nurse, and review of submitted questionnaires, confirmed that staff had received relevant training to undertake their duties.

The practice has a local policy and procedure for spillage in accordance with the Control of Substances Hazardous to Health (COSHH) and the dental nurse demonstrated awareness of this.

Provider's overall assessment of the dental practice's compliance level against the standard assessed	Moving towards compliance
Inspector's overall assessment of the dental practice's compliance level against the standard assessed	Compliant

10.3 Hand Hygiene

STANDARD 13 – Prevention and Control of Infection (Safe and effective care)

The dental service takes every reasonable precaution to make sure you are not exposed to risk of infection.

Criteria Assessed:

- **13.2** Your dental service adheres to the appropriate infection control policies and procedures in line with current best practice and legislation.
- **13.3** Your dental service has systems in place, including induction and ongoing training, to make sure these policies and procedures are known, and are being appropriately applied to the service at all times.

Inspection Findings:

Miss Burns rated the practice arrangements for hand hygiene as substantially compliant on the self-assessment.

The practice has a hand hygiene policy and procedure in place.

The dental nurse confirmed that hand hygiene is included in the induction programme and that hand hygiene training is updated periodically.

Discussion with the dental nurse confirmed that hand hygiene is performed before and after each patient contact and at appropriate intervals. Observations made evidenced that clinical staff had short clean nails and jewellery such as wrist watches and stoned rings were not worn in keeping with good practice.

Dedicated hand washing basins are available in the dental surgeries and the decontamination room and adequate supplies of liquid soap, paper towels and disinfectant rub/gel were available. The dental nurse confirmed that nail brushes and bar soap are not used in the hand hygiene process in keeping with good practice.

Laminated /wipe-clean posters promoting hand hygiene were on display in dental surgeries, the decontamination room and toilet facilities.

Provider's overall assessment of the dental practice's compliance level against the standard assessed	Substantially compliant
Inspector's overall assessment of the dental practice's compliance level against the standard assessed	Compliant

10.4 Management of Dental Medical Devices

STANDARD 13 – Prevention and Control of Infection (Safe and effective care)
The dental service takes every reasonable precaution to make sure you are not exposed to risk of infection.

Criterion Assessed:

13.4 Your dental service meets current best practice guidance on the decontamination of reusable dental and medical instruments.

Inspection Findings:

Miss Burns rated the practice approach to the management of dental medical devices as moving towards compliance on the self-assessment.

The practice has an infection control policy that includes procedures for the use, maintenance, service and repair of all medical devices.

The inspector reviewed the written scheme for the prevention of legionella contamination in water pipes and other water lines and discussion with the dental nurse confirmed that this is adhered to.

The dental nurse confirmed that impression materials, prosthetic and orthodontic appliances are decontaminated prior to despatch to laboratory and before being placed in the patient's mouth.

Observations made and discussion with the dental nurse confirmed that DUWLs are appropriately managed. This includes that:

- filters are cleaned/replaced as per manufacturer's instructions;
- an independent bottled-water system is used to dispense reverse osmosis (RO) water to supply the DUWLs;
- self-contained water bottles are flushed and re-filled with RO water treated with disinfectant in accordance with manufacturer's guidance;
- a single use sterile water source is used for irrigation in dental surgical procedures;
- DUWLs are flushed at the start of each working day and between every patient;
- DUWLs and handpieces are fitted with anti-retraction valves; and
- DUWLs are purged using disinfectant as per manufacturer's recommendations.

Provider's overall assessment of the dental practice's compliance level against the standard assessed	Moving towards compliance
Inspector's overall assessment of the dental practice's compliance level against the standard assessed	Compliant

10.5 Personal Protective Equipment

STANDARD 13 – Prevention and Control of Infection (Safe and effective care)
The dental service takes every reasonable precaution to make sure you are not exposed to risk of infection.

Criterion Assessed:

13.2 Your dental service adheres to the appropriate infection control policies and procedures in line with current best practice and legislation.

13.3 Your dental service has systems in place, including induction and ongoing training, to make sure these policies and procedures are known, and are being appropriately applied to the service at all times.

Inspection Findings:

Miss Burns rated the practice approach to the management of personal protective equipment (PPE) as substantially compliant on the self-assessment.

The practice has a policy and procedure in place for the use of PPE and the dental nurse demonstrated awareness of this. The dental nurse confirmed that the use of PPE is included in the induction programme.

Observations made and discussion with the dental nurse evidenced that PPE was readily available and in use in the practice.

Discussion with the dental nurse confirmed that:

- hand hygiene is performed before donning and following the removal of disposable gloves;
- single use PPE is disposed of appropriately after each episode of patient care;
- heavy duty gloves are available for domestic cleaning and decontamination procedures where necessary; and
- eye protection for staff and patients is decontaminated after each episode.

The dental nurse confirmed that staff were aware of the practice uniform policy.

Provider's overall assessment of the dental practice's compliance level against the standard assessed	Substantially compliant
Inspector's overall assessment of the dental practice's compliance level against the standard assessed	Compliant

10.6 Waste

STANDARD 13 – Prevention and Control of Infection (Safe and effective care) The dental service takes every reasonable precaution to make sure you are not exposed to risk of infection.

Criterion Assessed:

- **13.2** Your dental service adheres to the appropriate infection control policies and procedures in line with current best practice and legislation.
- **13.3** Your dental service has systems in place, including induction and ongoing training, to make sure these policies and procedures are known, and are being appropriately applied to the service at all times..

Inspection Findings:

Miss Burns rated the practice approach to the management of waste as substantially compliant on the self-assessment.

The practice has a policy and procedure in place for the management and disposal of waste in keeping with HTM 07-01. The dental nurse confirmed that the management of waste is included in the induction programme and that waste management training is updated periodically.

Review of documentation confirmed that contracted arrangements are in place for the disposal of waste by a registered waste carrier and relevant consignment notes are retained in the practice for at least three years.

Observations made and discussion with the dental nurse confirmed that staff are aware of the different types of waste and appropriate disposal streams.

Pedal operated bins are available throughout the practice.

Appropriate arrangements are in place in the practice for the storage and collection of general and clinical waste, including sharps waste.

The inspector observed adequate provision of sharps containers including those for pharmaceutical waste, throughout the practice. These were being appropriately managed as discussed in section 10.1 of the report.

Provider's overall assessment of the dental practice's compliance level against the standard assessed	Substantially compliant
Inspector's overall assessment of the dental practice's compliance level against the standard assessed	Compliant

10.7 Decontamination

STANDARD 13 – Prevention and Control of Infection (Safe and effective care) The dental service takes every reasonable precaution to make sure you are not exposed to risk of infection.

Criterion Assessed: 13.4

Your dental service meets current best practice guidance on the decontamination of reusable dental and medical instruments.

Inspection Findings:

Miss Burns rated the decontamination arrangements of the practice as moving towards compliance on the self-assessment.

A decontamination room, separate from patient treatment areas and dedicated to the decontamination process, is available. Appropriate validated equipment, including a washer disinfector and three steam sterilisers have been provided to meet the practice requirements.

Review of equipment logbooks evidenced that periodic tests are undertaken and recorded in keeping with HTM 01-05.

Provider's overall assessment of the dental practice's compliance level against the standard assessed	Moving towards compliance
Inspector's overall assessment of the dental practice's compliance level against the standard assessed	Compliant
Inspector's overall assessment of the dental practice's compliance level against the standard assessed	Compliance Level Compliant

11.0 Additional Areas Examined

11.1 Staff Consultation/Questionnaires

During the course of the inspection, the inspector spoke with a dental nurse. Questionnaires were also issued to staff. Eight were returned to RQIA within the timescale required.

Review of submitted questionnaires and discussion with a dental nurse evidenced that staff were knowledgeable regarding the inspection theme and that they have received training appropriate to their relevant roles. The dental nurse confirmed that staff are familiar with the practice policies and procedures and have received training in infection prevention and control. Clinical staff confirmed that they have been immunised against Hepatitis B.

11.2 Patient Consultation

Miss Burns confirmed on the submitted self-assessment that arrangements are in place for consultation with patients at appropriate intervals, that feedback provided by patients has been used by the service to improve and that results of the consultation have been made available to patients.

12.0 Quality Improvement Plan

The findings of this inspection were discussed with Miss Burns as part of the inspection process.

This inspection resulted in no recommendations or requirements being made. The registered provider/manager is asked to sign the appropriate page confirming they are assured about the factual accuracy of the content of the report.

Matters to be addressed as a result of this inspection are set in the context of the current registration of your premises. The registration is not transferable so that in the event of any future application to alter, extend or to sell the premises the RQIA would apply standards current at the time of that application.

Enquiries relating to this report should be addressed to:

Philip Colgan
The Regulation and Quality Improvement Authority
9th Floor
Riverside Tower
5 Lanyon Place
Belfast
BT1 3BT

Philip Colgan	 Date	
Inspector/Quality Reviewer		



Self Assessment audit tool of compliance with HTM01-05 - Decontamination - Cross Infection Control

Name of practice: Smiles Dental Omagh

RQIA ID: 11689

Name of inspector: Philip Colgan

This self-assessment tool should be completed in reflection of the current decontamination and cross infection control arrangements in your practice.

THE REGULATION AND QUALITY IMPROVEMENT AUTHORITY

9th floor Riverside Tower, 5 Lanyon Place, Belfast, BT1 3BT

Tel: 028 9051 7500 Fax: 028 9051 7501

1 Prevention of bloodborne virus exposure					
Inspection criteria (Numbers in brackets reflect HTM 01-05/policy reference)	Yes	No	If NO provide rationale and actions to be taken with timescales to achieve compliance with HTM 01-05.		
1.1 Does the practice have a policy and procedure/s in place for the prevention and management of blood borne virus exposure, including management of spillages, sharps and inoculation incidents in accordance with national guidance? (2.6)	X				
1.2 Have all staff received training in relation to the prevention and management of blood-borne virus exposure? (1.22, 9.1, 9.5)	X				
1.3 Have all staff at risk from sharps injuries received an Occupational Health check in relation to risk reduction in bloodborne virus transmission and general infection? (2.6)	X				
1.4 Can decontamination and clinical staff demonstrate current immunisation with the hepatitis B vaccine e.g. documentation? (2.4s, 8.8)		Х	Three dental nurses are due to be called in November by Occupational Health for their booster.		
1.5 Are chlorine-releasing agents available for blood /bodily fluid spillages and used as per manufacturer's instructions? (6.74)	х				
1.6 Management of sharps	Х				
Any references to sharps management should be read in conjunction with The Health and Safety (Sharp Instruments in Healthcare) Regulations (Northern Ireland) 2013 Are sharps containers correctly assembled?					

1.7 Are in-use sharps containers labelled with date, locality and a signature?	X		
1.8 Are sharps containers replaced when filled to the indicator mark?	х		
1.9 Are sharps containers locked with the integral lock when filled to the indicator mark? Then dated and signed?	х		
1.10 Are full sharps containers stored in a secure facility away from public access?	Х		
1.11 Are sharps containers available at the point of use and positioned safely (e.g. wall mounted)?	х		
1.12 Is there a readily-accessible protocol in place that ensures staff are dealt with in accordance with national guidance in the event of blood-borne virus exposure? (2.6)	Х		
1.13 Are inoculation injuries recorded?	х		
1.14 Are disposable needles and disposable syringes discarded as a single unit?	х		
Provider's level of compliance			Substantially compliant

2 Environmental design and cleaning					
Inspection criteria	Yes	No	If NO provide rationale and actions to be taken with timescales to achieve compliance with HTM 01-05.		
2.1 Does the practice have a policy and procedure for cleaning and maintaining the environment? (2.6, 6.54)	xx				
2.2 Have staff undertaking cleaning duties been fully trained to undertake such duties? (6.55)	Х				
2.3 Is the overall appearance of the clinical and decontamination environment tidy and uncluttered? (5.6)	х				
2.4 Is the dental chair cleaned between each patient? (6.46, 6.62)	х				
2.5 Is the dental chair free from rips or tears? (6.62)		х	Surgery 1 head rest disposable covers are used and changed between each patient, surgery 3 seat needs re-covered to be completed this month.		
2.6 Are all surfaces i.e. walls, floors, ceilings, fixtures and fittings and chairs free from damage and abrasion? (6.38)		x	Surgery 1 needs seal replaced, surgery 5 needs seal replaced, to be completed this month.		
2.7 Are all work-surface joints intact, seamless, with no visible damage? (6.46, 6.47)	Х				
2.8 Are all surfaces i.e. walls, floors, ceilings, fixtures and fittings and chairs free from dust and visible dirt? (6.38)	х				
2.9 Are the surfaces of accessible ventilation fittings/grills cleaned at a minimum weekly? (6.64)	х				
2.10 Are all surfaces including flooring in clinical and decontamination areas impervious and easy to clean? (6.46, 6.64)	х				

2.11 Do all floor coverings in clinical and decontamination areas have coved edges that are sealed and impervious to moisture? (6.47)		X	Decontamination area floor is coved, surgery floors are not coved but have sealed edges.
2.12 Are keyboard covers or "easy- clean" waterproof keyboards used in clinical areas? (6.66)	х		
2.13 Are toys provided easily cleaned? (6.73)	х		
2.14 Confirm free standing or ceiling mounted fans are not used in clinical/ decontamination areas? (6.40)	х		
2.15 Is cleaning equipment colour- coded, in accordance with the National Patient Safety Agency recommendations as detailed in HTM 01-05? (6.53)	Х		
2.16 Is cleaning equipment stored in a non-clinical area? (6.60)	х		
2.17 Where disposable single-use covers are used, are they discarded after each patient contact? (6.65)	х		
2.18 Are the surfaces of equipment cleaned between each patient (E.g. work surfaces, dental chairs, curing lamps, delivery units, inspection handles and lights, spittoons, external surface of aspirator and X-ray heads)? (6.62)	Х		
2.19 Are all taps, drainage points, splash backs, sinks, aspirators, drains, spittoons, cleaned after every session with a surfactant/detergent? (6.63)	х		
2.20 Are floors, cupboard doors and accessible high level surfaces and floors cleaned daily? (6.63)	х		

2.21 Is there a designated area for the disposal of dirty water, which is outside the kitchen, clinical and decontamination areas; for example toilet, drain or slophopper (slop hopper is a device used for the disposal of liquid or solid waste)?	Х		
2.22 Does the practice have a local policy and procedure/s for spillage in accordance with COSHH? (2.4d, 2.6)	х		
Provider's level of compliance			Moving towards compliance

3 Hand hygiene					
Inspection criteria	Yes	No	If NO provide rationale and actions to be taken with timescales to achieve compliance with HTM 01-05.		
3.1 Does the practice have a local policy and procedure for hand hygiene? (2.6 Appendix 1)	х				
3.2 Is hand hygiene an integral part of staff induction? (6.3)	х				
3.3 Is hand hygiene training provided periodically throughout the year? (1.22, 6.3)	х				
3.4 Is hand hygiene carried out before and after every new patient contact? (Appendix 1)	х				
3.5 Is hand hygiene performed before donning and following the removal of gloves? (6.4, Appendix 1)	х				
3.6 Do all staff involved in any clinical and decontamination procedures have short nails that are clean and free from nail extensions and varnish? (6.8, 6.23, Appendix 1)	Х				
3.7 Do all clinical and decontamination staff remove wrist watches, wrist jewellery, rings with stones during clinical and decontamination procedures? (6.9, 6.22)	х				
3.8 Are there laminated or wipe- clean posters promoting hand hygiene on display? (6.12)	х				
3.9 Is there a separate dedicated hand basin provided for hand hygiene in each surgery where clinical practice takes place? (2.4g, 6.10)	х				

		inspection ib. 201 13/NQIA ib. 11003
3.10 Is there a separate dedicated hand basin available in each room where the decontamination of equipment takes place? (2.4u, 5.7, 6.10)	X	
3.11 Are wash-hand basins free from equipment and other utility items? (2.4g, 5.7)	х	
3.12 Are hand hygiene facilities clean and intact (check sinks taps, splash backs, soap and paper towel dispensers)? (6.11, 6.63)	х	
3.13 Do the hand washing basins provided in clinical and decontamination areas have :	х	
no plug; andno overflow.		
Lever operated or sensor operated taps.(6.10)		
3.14 Confirm nailbrushes are not used at wash-hand basins? (Appendix 1)	х	
3.15 Is there good quality, mild liquid soap dispensed from singleuse cartridge or containers available at each wash-hand basin?	х	
Bar soap should not be used. (6.5, Appendix 1)		
3.16 Is skin disinfectant rub/gel available at the point of care? (Appendix 1)	Х	
3.17 Are good quality disposable absorbent paper towels used at all wash-hand basins? (6.6, Appendix 1)	х	

3.18 Are hand-cream dispensers with disposable cartridges available for all clinical and decontamination staff? (6.7, Appendix 1)	Х		
Provider's level of compliance			Substantially compliant

4 Management of dental medical devices					
Inspection criteria	Yes	No	If NO provide rationale and actions to be taken with timescales to achieve compliance with HTM 01-05.		
4.1 Does the practice have an infection control policy that includes procedures for the use, maintenance, service and repair of all medical devices? (1.18, 2.4a, 2.6, 2.7, 3.54)	Х				
4.2 Has the practice carried out a risk assessment for legionella under the Health and Safety Commission's "Legionnaires' disease - the control of legionella bacteria in water systems Approved Code of Practice and Guidance" (also known as L8)? (6.75-6.90, 19.0)	X				
4.3 Has the practice a written scheme for prevention of legionella contamination in water pipes and other water lines?(6.75, 19.2)	х				
4.4 Impression material, prosthetic and orthodontic appliances: Are impression materials, prosthetic and orthodontic appliances decontaminated in the surgery prior to despatch to laboratory in accordance with manufacturer's instructions?(7.0)	х				
4.5 Impression material, prosthetic and orthodontic appliances: Are prosthetic and orthodontic appliances decontaminated before being placed in the patient's mouth? (7.1b)	х				
4.6 Dental Unit Water lines (DUWLs): Are in-line filters cleaned/replaced as per manufacturer's instructions?(6.89, 6.90)	x				

		•	inspection ib. 207 19/KQ	I/ ID. 11003
4.7 Dental Unit Water lines (DUWLs): Is there an independent bottled-water system used to dispense distilled, reverse osmosis (RO) or sterile water to supply the DUWL? (6.84)	X			
4.8 Dental Unit Water lines (DUWLs): For dental surgical procedures involving irrigation; is a separate single-use sterile water source used for irrigation? (6.91)	Х			
4.9 Dental Unit Water lines (DUWLs): Are the DUWLs drained down at the end of every working day?(6.82)	х			
4.10 Dental Unit Water lines (DUWLs): Are self-contained water bottles (bottled water system) removed, flushed with distilled or RO water and left open to the air for drying on a daily basis, and if necessary overnight, and in accordance with manufacturer's guidance? (6.83)	Х			
4.11 Dental Unit Water lines (DUWLs): Where bottled water systems are not used is there a physical air gap separating dental unit waterlines from mains water systems. (Type A)?(6.84)	Х			
4.12 Dental Unit Water lines (DUWLs): Are DUWLs flushed for a minimum of 2 minutes at start of each working day and for a minimum of 20-30 seconds between every patient? (6.85)	х			
4.13 Dental Unit Water lines (DUWLs): Are all DUWL and hand pieces fitted with anti-retraction valves? (6.87)	х			
4.14 Dental Unit Water lines (DUWLs): Are DUWLs either disposable or purged using manufacturer's recommended disinfectants? (6.84-6.86)	х			

4.15 Dental Unit Water lines (DUWLs): Are DUWL filters changed according to the manufacturer's guidelines? (6.89)

Provider's level of compliance

Inspection ID: 20719/RQIA ID: 11689

Moving towards compliance

5 Personal Protective Equipment					
Inspection criteria	Yes	No	If NO provide rationale and actions to be taken with timescales to achieve compliance with HTM 01-05.		
5.1 Does the practice have a policy and procedures for the use of personal protective equipment? (2.6, 6.13)	х				
5.2 Are staff trained in the use of personal protective equipment as part of the practice induction? (6.13)	Х				
5.3 Are powder-free CE marked gloves used in the practice? (6.20)	Х				
5.4 Are alternatives to latex gloves available? (6.19, 6.20)	Х				
5.5 Are all single-use PPE disposed of after each episode of patient care? (6.21, 6.25, 6.36c)	Х				
5.6 Is hand hygiene performed before donning and following the removal of gloves? (6.4 Appendix 1)	х				
5.7 Are clean, heavy duty household gloves available for domestic cleaning and decontamination procedures where necessary? (6.23)	Х				
5.8 Are heavy-duty household gloves washed with detergent and hot water and left to dry after each use? (6.23)	Х				
5.9 Are heavy-duty household gloves replaced weekly or more frequently if worn or torn? (6.23)	х				

5.10 Are disposable plastic aprons worn during all decontamination processes or clinical procedures where there is a risk that clothing/uniform may become contaminated? (6.14, 6.24-6.25)	X			
5.11 Are single-use plastic aprons disposed of as clinical waste after each procedure? (6.25)	Х			
5.12 Are plastic aprons, goggles, masks or face shields used for any clinical and decontamination procedures where there is a danger of splashes? (6.14, 6.26-6.29)	Х			
5.13 Are masks disposed of as clinical waste after each use? (6.27, 6.36)	х			
5.14 Are all items of PPE stored in accordance with manufacturers' instructions? (6.14)	х			
5.15 Are uniforms worn by all staff changed at the end of each day and when visibly contaminated? (6.34)	х			
5.16 Is eye protection for staff used during decontamination procedures cleaned after each session or sooner if visibly contaminated? (6.29)	Х			
5.17 Is eye protection provided for the patient and staff decontaminated after each episode of patient care? (6.29)	х			
Provider's level of compliance			Substantially	compliant

6 Waste			
Inspection criteria	Yes	No	If NO provide rationale and actions to be taken with timescales to achieve compliance with HTM 07-01.
6.1 Does the practice have a policy and procedure/s for the management and disposal of waste? (2.6, 6.1 (07-01) 6.4 (07-01))	х		
6.2 Have all staff attended induction and on-going training in the process of waste disposal? (1.22, 6.43 (07-01) 6.51 (07-01))	Х		
6.3 Is there evidence that the waste contractor is a registered waste carrier? (6.87 (07-01) 6.90 (07-01))	х		
6.4 Are all disposable PPE disposed of as clinical waste? (6.26, 6.27, 6.36, HTM 07-01 PEL (13) 14)	Х		
6.5 Are orange bags used for infectious Category B waste such as blooded swabs and blood contaminated gloves? (HTM 07-01, PEL (13) 14, 5.39 (07-01) Chapter 10 - Dental 12 (07-01))	X		
6.6 Are black/orange bags used for offensive/hygiene waste such as non-infectious recognisable healthcare waste e.g. gowns, tissues, non-contaminated gloves, X-ray film, etc, which are not contaminated with saliva, blood, medicines, chemicals or amalgam? (HTM 07-01, PEL (13) 14, 5.50 (07-01) Chapter 10-Dental 8 (07-01))	X		
6.8 Are black/clear bags used for domestic waste including paper towels? (HTM 07-01, PEL (13) 14, 5.51 (07-01))	х		

		mopoda	0111D. 20113/1(QI/(1D. 11003
6.9 Are bins foot operated or sensor controlled, lidded and in good working order? (5.90 (07-01))	X		
6.10 Are local anaesthetic cartridges and other Prescription Only Medicines (POMs) disposed of in yellow containers with a purple lid that conforms to BS 7320 (1990)/UN 3291? (HTM 07-01 PEL (13) 14, Chapter 10 - Dental 11 (07-01))	X		
6.11 Are clinical waste sacks securely tied and sharps containers locked before disposal? (5.87 (07-01))	х		
6.12 Are all clinical waste bags and sharps containers labelled before disposal? (5.23 (07-01), 5.25 (07-01))	X		
6.13 Is waste awaiting collection stored in a safe and secure location away from the public within the practice premises? (5.33 (07-01), 5.96 (07-01))	х		
6.14 Are all clinical waste bags fully described using the appropriate European Waste Catalogue (EWC) Codes as listed in HTM 07-01 (Safe Management of Healthcare Waste)?(3.32 (07-01))	Х		
6.15 Are all consignment notes for all hazardous waste retained for at least 3 years?(6.105 (07-01))	Х		
6.16 Has the practice been assured that a "duty of care" audit has been undertaken and recorded from producer to final disposal? (6.1 (07-01), 6.9 (07-01))	х		
6.17 Is there evidence the practice is segregating waste in accordance with HTM 07-01? (5.86 (07-01), 5.88 (07-01), 4.18 (07-01))	х		
Provider's level of compliance			Substantially compliant

7 Decontamination			
Inspection criteria	Yes	No	If NO provide rationale and actions to be taken with timescales to achieve compliance with HTM 01-05.
7.1 Does the practice have a room separate from the patient treatment area, dedicated to decontamination meeting best practice standards? (5.3–5.8)	х		
7.2 Does the practice have washer disinfector(s) in sufficient numbers to meet the practice requirements? (PEL(13)13)		х	A second washer disinfector would be of benefit and is part of practice improvement business plan.
7.3 Are all reusable instruments being disinfected using the washer disinfector? (PEL(13)13)	х		
7.4 Does the practice have steam sterilisers in sufficient numbers to meet the practice requirements?	х		
7.5 a Has all equipment used in the decontamination process been validated?	х		All due for annual validation in November, we have date booked in for Henry Schein for the 1 st of December 2014.
7.5 b Are arrangements in place to ensure that all equipment is validated annually? (1.9, 11.1, 11.6, 12,13, 14.1, 14.2, 15.6)	х		
7.6 Have separate log books been established for each piece of equipment?	х		
Does the log book contain all relevant information as outlined in HTM01-05? (11.9)	x		

7.7 a Are daily, weekly, monthly periodic tests undertaken and recorded in the log books as outlined in HTM 01-05? (12, 13, 14)	X			
7.7 b Is there a system in place to record cycle parameters of equipment such as a data logger?	x			
Provider's level of compliance				Moving towards compliance
Please provide any comments you	u wish to	add rega	arding good pi	ractice

Appendix 1



Name of practice: Smiles Dental Omagh

Declaration on consultation with patients

The need for consultation with patients is outlined in The Independent Health Care Regulations (Northern Ireland) 2005, Regulation 17(3) and The Minimum Standards for Dental Care and Treatment 2011, Standard 9.

1	Do you har intervals?	ve a system in plac	ce for co	nsultation with patients, undertaken at appropriate
	Yes	Х	No	
	If no or of	ther please give de	etails:	
2	If appropri	ate has the feedba	ck provid	ded by patients been used by the service to improve?
	Yes	х	No	
3	Are the res	sults of the consult	ation ma	de available to patients?
	Yes	Х	No	





No requirements/recommendations resulted from the announced inspection of Smiles Dental Omagh undertaken on 25 November 2014 and I agree/do not agree* with the content of the report.

* Please delete as appropriate	
Please provide any additional comme	nts or observations you may wish to make:
NIA	
SIGNED: Registered Provider	SIGNED:Registered Person in Control (or Designated Person in Control)
NAME: LINDA BURNS. (PRINT)	NAME:(PRINT)
DATE: 17/12/14.	DATE:
The registered provider/manager is	required to sign this declaration and return to:
The Regulation and Quality Impr 9th floor Riverside Tower 5 Lanyon Place Belfast	ovement Authority

DATE RECEIVED	APPROVED	SIGNATURE OF INSPECTOR
22/12	Yes	lle