

Announced Care Inspection Report 26 January 2021



The Gentle Dental Clinic

Type of Service: Independent Hospital (IH) – Dental Treatment

Address: 39 Church Street, Warrenpoint BT34 3HN

Tel No: 028 4175 2220

Inspector: Emer McCurry

www.rqia.org.uk

Assurance, Challenge and Improvement in Health and Social Care

It should be noted that this inspection report should not be regarded as a comprehensive review of all strengths and areas for improvement that exist in the service. The findings reported on are those which came to the attention of RQIA during the course of this inspection. The findings contained within this report do not exempt the service from their responsibility for maintaining compliance with legislation, standards and best practice.

1.0 What we look for



In respect of dental practices for the 2020/21 inspection year we are moving to a more focused, shorter inspection which will concentrate on the following key patient safety areas:

- management of operations in response to the COVID-19 pandemic;
- management of medical emergencies;
- infection prevention and control (IPC);
- decontamination of reusable dental instruments;
- governance arrangements and review of the report of the visits undertaken by the registered provider in line with Regulation 26, where applicable; and
- review of the areas for improvement identified during the previous care inspection (where applicable).

2.0 Profile of service

This is a registered dental practice with four registered places.

3.0 Service details

Organisation/Registered provider: The Gentle Dental Clinic Responsible Individual: Mr Michael McManus	Registered manager: Mr Michael McManus
Person in charge at the time of inspection: Mr Michael McManus	Date manager registered: 11 April 2012
Categories of care: Independent Hospital (IH) – Dental Treatment	Number of registered places: Four

4.0 Inspection summary

We undertook an announced inspection on 26 January 2021 from 14:00 to 16:20 hours.

This inspection was underpinned by The Health and Personal Social Services (Quality, Improvement and Regulation) (Northern Ireland) Order 2003, The Independent Health Care Regulations (Northern Ireland) 2005, The Regulation and Improvement Authority (Independent Health Care) (Fees and Frequency of Inspections) (Amendment) Regulations (Northern Ireland) 2011 and the Department of Health (DoH) Minimum Standards for Dental Care and Treatment (2011).

The purpose of this inspection was to focus on the themes for the 2020/21 inspection year. A poster informing patients that an inspection was being conducted was displayed during the inspection.

We undertook a tour of some of the premises, met with Mr Michael McManus, Responsible Individual, the practice manager, a dental nurse and the lead decontamination dental nurse who was spoken with by telephone following inspection and reviewed relevant records and documents in relation to the day to day operation of the practice.

We found evidence of good practice in relation to the management of medical emergencies; infection prevention and control; decontamination of reusable dental instruments; the practice's adherence to best practice guidance regarding COVID-19; and governance arrangements.

No immediate concerns were identified regarding the delivery of front line patient care.

4.1 Inspection outcome

	Regulations	Standards
Areas for improvement	0	0

This inspection resulted in no areas for improvement being identified. Findings of the inspection were discussed with the practice manager, as part of the inspection process and can be found in the main body of the report. A quality improvement plan (QIP) was not generated as a result of this inspection.

Enforcement action did not result from the findings of this inspection.

4.2 Action/enforcement taken following the most recent inspection dated 4 December 2019

The most recent inspection of the establishment was an announced care inspection. The completed QIP was returned and approved by the care inspector.

4.3 Review of areas for improvement from the last care inspection dated 4 December 2019

Areas for improvement from the last care inspection		
Action required to ensure compliance with The Minimum Standards for Dental Care and Treatment (2011)		Validation of compliance
Area for improvement 1 Ref: Standard 14.4 Stated: First time	The responsible individual shall ensure the two steam sterilizers with patches of rust are made good. Ref: 5.4	Met
	Action taken as confirmed during the inspection: We confirmed that the rust on the two steam sterilisers had been addressed.	

5.0 How we inspect

Before the inspection, a range of information relevant to the practice was reviewed. This included the following records:

- notifiable events since the previous care inspection;
- the registration status of the establishment;
- written and verbal communication received since the previous care inspection;
- the previous care inspection report; and
- the returned QIP from the previous care inspection.

Links to an online questionnaire were provided to the practice by RQIA for staff and patients to complete prior to the inspection, however, we were advised that they had not been provided due to an oversight of the information. Therefore, there were no returned completed patient or staff questionnaires to analyse or discuss in section 6.7 of this report.

During the inspection, we spoke with Mr Michael McManus, the practice manager, and a dental nurse. The lead decontamination dental nurse was also spoken with via telephone following inspection.

The findings of the inspection were provided to the practice manager at the conclusion of the inspection.

6.0 Inspection findings

6.1 Management of operations in response to the COVID-19 pandemic

We discussed the management of operations in response to the COVID-19 pandemic with the practice manager and staff, and application of the Health and Social Care Board (HSCB) operational guidance. We found that COVID-19 policies and procedures were in place in keeping with best practice guidance.

Areas of good practice: Management of operations in response to COVID-19 pandemic

We confirmed the practice had identified a COVID-19 lead; had reviewed and amended policies and procedures in accordance with the HSCB operational guidance to include arrangements to maintain social distancing; prepare staff; implement enhanced infection prevention and control procedures; and the patient pathway.

Areas for improvement: Management of operations in response to COVID-19 pandemic

We identified no areas for improvement regarding the management of operations in response to the COVID-19 pandemic.

	Regulations	Standards
Areas for improvement	0	0

6.2 Management of medical emergencies

We reviewed the arrangements in place for the management of medicines within the practice to ensure that medicines were safely, securely and effectively managed in compliance with legislative requirements, professional standards and guidelines and we found them to be satisfactory.

We found that medicines were stored safely and securely and in accordance with the manufacturer's instructions. We confirmed that all emergency medicines as specified within the British National Formulary (BNF) for use in the event of a medical emergency in a dental practice were available. We advised the practice manager to stock a sufficient supply of needles in various sizes, with syringes suitable to administer adrenaline in dosage in keeping with the BNF. We found a stock of adrenaline auto-injectors (AIs) and further advised that in keeping with the advice issued by the DoH that these should not be renewed and a sufficient supply of adrenaline ampoules should be maintained. We also confirmed that all emergency equipment as recommended by the Resuscitation Council (UK) guidelines were available.

We noted a robust system was in place to ensure that emergency medicines and equipment do not exceed their expiry date and were ready for immediate use in the event of a medical emergency.

We spoke with staff who told us the management of medical emergencies was included in the staff induction programme and that training was updated on an annual basis in keeping with best practice guidance. We reviewed training records and evidenced that staff last completed medical emergency refresher training during July 2020. We found that this training included first aid and scenario-based exercises that simulated medical emergencies that have the potential to occur in a dental practice. These included; anaphylaxis; asthma; cardiac emergencies; myocardial infarction; epileptic seizures; hypoglycaemia; syncope; choking and aspiration; and adrenaline insufficiency.

Staff who spoke with us demonstrated a good understanding of the actions to be taken in the event of a medical emergency and were able to identify to us the location of medical emergency medicines and equipment. Staff told us that they felt well prepared to manage a medical emergency.

We were satisfied that sufficient emergency medicines and equipment were in place and staff were well prepared to manage a medical emergency should this occur.

Areas of good practice: Management of medical emergencies

We reviewed the arrangements in respect of the management of a medical emergency and confirmed that the dental practice takes a proactive approach to this key patient safety area. This included ensuring that staff had the knowledge and skills to react to a medical emergency, should it arise.

Areas for improvement: Management of medical emergencies

We identified no areas for improvement regarding the management of medical emergencies.

	Regulations	Standards
Areas for improvement	0	0

6.3 Infection prevention and control (IPC)

We reviewed arrangements in relation to IPC procedures throughout the practice to evidence that the risk of infection transmission to patients, visitors and staff was minimised. We undertook a tour of some of the premises and noted that the clinical and decontamination areas were clean, tidy and uncluttered. We found that all areas of the practice were fully equipped to meet the needs of patients.

A higher level of PPE is required when dental treatment using aerosol generating procedures (AGPs) are undertaken including the use of FFP3 masks. An FFP3 mask is a respirator mask that covers the mouth and nose of the wearer. The performance of these masks depends on achieving good contact between the wearer's skin and the mask. The only way to ensure that the FFP3 mask offers the desired level of protection is for the wearer to be fit tested for a particular make and model of mask. The fit testing records were not available on the day of inspection, however, we received confirmation following the inspection to evidence fit testing had been undertaken for the appropriate staff. We were informed that a number of staff were using powered hoods as their respiratory protection and we were informed that these are maintained and decontaminated as per manufactures instructions.

We established that reusable gowns were being worn by staff during AGPs. While this is acceptable as a short term measure, in line with best practice we advised that disposable gowns should be worn where possible and the practice manager readily agreed to review this. We confirmed the practice continues to audit compliance with Health Technical Memorandum (HTM) 01-05: Decontamination in primary care dental practices using the Infection Prevention Society (IPS) audit tool. This audit includes key elements of IPC, relevant to dentistry, including the arrangements for environmental cleaning; the use of PPE; hand hygiene practice; and waste and sharps management.

Staff who spoke with us confirmed that IPS audits were completed in a meaningful manner and the process involved all dental nurses on a rotational basis. Staff told us that the outcome of the audit was discussed during regular staff meetings. The practice manager informed us that should the audit identify areas for improvement, an action plan would be generated to address the issues identified and that the IPS audit will be completed every six months.

We confirmed that arrangements were in place to ensure that staff received IPC and COVID-19 training commensurate with their roles and responsibilities. Staff who spoke with us demonstrated good knowledge and understanding of IPC procedures.

We were advised that no new clinical staff have been recruited since the previous inspection. The practice manager told us that the records to evidence the Hepatitis B vaccination status of staff have been retained and that in the future all newly recruited clinical staff members, who were new to dentistry, would be automatically referred to occupational health.

Areas of good practice: Infection prevention and control

We reviewed the current arrangements with respect to IPC practice and evidenced good practice that was being actively reviewed.

Areas for improvement: Infection prevention and control

We identified no areas for improvement regarding IPC.

	Regulations	Standards
Areas for improvement	0	0

6.4 Decontamination of reusable dental instruments

We observed a decontamination room, separate from patient treatment areas and dedicated to the decontamination process, was available. We evidenced the decontamination room facilitated the flow from dirty through to clean areas for the cleaning and sterilising of reusable instruments.

We found arrangements were in place to ensure staff received training in respect to the decontamination of reusable dental instruments commensurate with their roles and responsibilities.

The processes regarding the decontamination of reusable dental instruments were being audited in line with the best practice outlined in HTM 01-05 using the IPS audit tool. We reviewed the most recent IPS audit, completed during December 2020 and found that the audit had been completed in a meaningful manner and had identified areas of good practice.

We found that appropriate equipment, including two washer disinfectors, four steam sterilisers and a DAC Universal had been provided to meet the requirements of the practice. We established that the majority of the equipment used in the decontamination process had been appropriately validated and inspected in keeping with the written scheme of examination. We discussed the arrangements for the annual validation and inspection of the remaining equipment used in the decontamination process with the practice manager and we were informed that further inspections were booked for February 2021.

Equipment logbooks evidenced that periodic tests were undertaken and recorded in keeping with HTM 01-05, with the exception of a daily automatic control test (ACT) and daily steam penetration test in respect of the DAC universal. We advised these periodic tests are reviewed considering the manufacturer's guidance and HTM 01-05.

We found staff were aware of what equipment, used by the practice, should be treated as single use and what equipment was suitable for decontamination. We confirmed that single use devices were only used for single-treatment episodes and were disposed of following use.

A review of current practice evidenced that arrangements were in place to ensure that reusable dental instruments were appropriately cleaned, sterilised and stored following use in keeping with the best practice guidance outlined in HTM 01-05.

Areas of good practice: Decontamination of reusable dental instruments

We found the current arrangements evidenced that best practice, as outlined in HTM 01-05, was being achieved in respect of the decontamination of reusable dental instruments. This included proactively auditing practice, taking action when issues were identified and ensuring staff had the knowledge and skills to ensure standards were maintained.

Areas for improvement: Decontamination of reusable dental instruments

We identified no areas for improvement regarding the decontamination of reusable dental instruments.

	Regulations	Standards
Areas for improvement	0	0

6.5 Visits by the Registered Provider (Regulation 26)

Where the business entity operating a dental practice is a corporate body or partnership or an individual owner who is not in day to day management of the practice, unannounced quality monitoring visits by the registered provider must be undertaken and documented every six months; as required by Regulation 26 of The Independent Health Care Regulations (Northern Ireland) 2005. We established that Mr Michael McManus was in day to day charge of the practice, therefore the unannounced quality monitoring visits by the registered provider were not applicable.

	Regulations	Standards
Areas for improvement	0	0

6.6 Equality data

We discussed the arrangements in place regarding the equality of opportunity for patients and the importance of staff being aware of equality legislation and recognising and responding to the diverse needs of patients. The practice manager told us that equality data collected was managed in line with best practice.

6.7 Patient and staff views

As previously recorded in section 5.0 no patient or staff questionnaires were issued by the practice. Therefore there were no returned questionnaires to analyse or discuss.

6.8 Total number of areas for improvement

	Regulations	Standards
Total number of areas for improvement	0	0

7.0 Quality improvement plan

We identified no areas for improvement and a QIP is not required or included, as part of this inspection report.



The Regulation and Quality Improvement Authority

9th Floor

Riverside Tower

5 Lanyon Place

BELFAST

BT1 3BT

Tel 028 9536 1111

Email info@rqia.org.uk

Web www.rqia.org.uk

Twitter @RQIANews