

Announced Care Inspection Report 17 December 2018



Newry Denture and Dental Care Ltd

Type of Service: Independent Hospital (IH) – Dental Treatment

Address: 100 Hill Street, Newry, BT34 1BT

Tel No: 02830265765

Inspector: Gerry Colgan

www.rqia.org.uk

Assurance, Challenge and Improvement in Health and Social Care

It should be noted that this inspection report should not be regarded as a comprehensive review of all strengths and areas for improvement that exist in the service. The findings reported on are those which came to the attention of RQIA during the course of this inspection. The findings contained within this report do not exempt the service from their responsibility for maintaining compliance with legislation, standards and best practice.

1.0 What we look for



In respect of dental practices for the 2018/19 inspection year we are moving to a more focused, shorter inspection which will concentrate on the following key patient safety areas:

- management of medical emergencies
- infection prevention and control
- decontamination of reusable dental instruments
- radiology and radiation safety
- review of areas for improvement from the last inspection

2.0 Profile of service

This is a registered dental practice with one registered place, providing private dental treatment. The practice predominantly provides the service of assessing and making dentures for patients. However, if a patient does require an assessment by a dentist, a dentist is contracted on a sessional basis to provide this. The contracted dentist attends the practice four hours per month and is accompanied by a dental nurse.

3.0 Service details

| | |
|---|---|
| Organisation/Registered Provider: Newry Denture and Dental Care Ltd | Registered Manager: Mr Damien O'Hare |
| Responsible Individuals: Mr Damien O'Hare Mrs Geraldine O'Hare | |
| Person in charge at the time of inspection: Mr Damien O'Hare | Date manager registered: 17 December 2012 |
| Categories of care: Independent Hospital (IH) – Dental Treatment | Number of registered places: 1 |

4.0 Action/enforcement taken following the most recent inspection dated 5 February 2018

The most recent inspection of the establishment was an announced care inspection. No areas for improvement were made during this inspection.

4.1 Review of areas for improvement from the last care inspection dated 5 February 2018

There were no areas for improvement made as a result of the last care inspection.

5.0 Inspection findings

An announced inspection took place on 17 December 2018 from 09.30 to 11.00.

This inspection was underpinned by The Health and Personal Social Services (Quality, Improvement and Regulation) (Northern Ireland) Order 2003, The Independent Health Care Regulations (Northern Ireland) 2005, The Regulation and Improvement Authority (Independent Health Care) (Fees and Frequency of Inspections) (Amendment) Regulations (Northern Ireland) 2011 and the Department of Health (DOH) Minimum Standards for Dental Care and Treatment (2011).

A poster informing patients that an inspection was being conducted was displayed.

During the inspection the inspector met with Mrs Geraldine O'Hare and Mr Damien O'Hare, responsible persons. A tour of the premises was also undertaken.

The findings of the inspection were provided to Mr and Mrs O'Hare at the conclusion of the inspection.

5.1 Management of medical emergencies

Management of medical emergencies

A review of arrangements in respect of the management of a medical emergency evidenced that emergency medicines in keeping with the British National Formulary (BNF), and emergency equipment as recommended by the Resuscitation Council (UK) guidelines were retained. A robust system was in place to ensure that emergency medicines and equipment do not exceed their expiry date.

Review of training records and discussion with staff confirmed that the management of medical emergencies is included in the induction programme and training is updated on an annual basis in keeping with best practice guidance. The most recent occasion staff completed medical emergency refresher training was during November 2018.

Discussion with staff demonstrated that they have a good understanding of the actions to be taken in the event of a medical emergency and the location of medical emergency medicines and equipment.

Areas of good practice

The review of the arrangements in respect of the management of a medical emergency confirmed that this dental practice takes a proactive approach to this key patient safety area. This includes ensuring that staff have the knowledge and skills to react to a medical emergency, should it arise.

Areas for improvement

No areas for improvement were identified during the inspection.

| | Regulations | Standards |
|-----------------------|-------------|-----------|
| Areas for improvement | 0 | 0 |

5.2 Infection prevention and control

Infection prevention and control (IPC)

During a tour of the premises, it was evident that the practice, including the clinical and decontamination areas, was clean, tidy and uncluttered.

The practice continues to audit compliance with Health Technical Memorandum (HTM) 01-05: Decontamination in primary care dental practices using the Infection Prevention Society (IPS) audit tool. This audit includes key elements of IPC, relevant to dentistry, including the arrangements for environmental cleaning, the use of personal protective equipment, hand hygiene practice, and waste and sharps management.

A review of the most recent IPS audit, completed during December 2018 evidenced that the audit had been completed in a meaningful manner and had identified areas of good practice.

The audits are carried out by Mr O'Hare who confirmed that any learning identified as a result of these audits would be shared immediately with staff. An action plan would be developed and discussed at staff meetings.

Arrangements were in place to ensure that staff received IPC training commensurate with their roles and responsibilities and during discussion with staff it was confirmed that they had a good level of knowledge and understanding of IPC procedures.

Areas of good practice

A review of the current arrangements evidenced that standards in respect of infection prevention and control practice are being given high priority. This includes proactively auditing practice, taking action when issues are identified and ensuring staff have the knowledge and skills to ensure standards are maintained.

Areas for improvement

No areas for improvement were identified during the inspection.

| | Regulations | Standards |
|------------------------------|-------------|-----------|
| Areas for improvement | 0 | 0 |

5.3 Decontamination of reusable dental instruments

Decontamination of reusable dental instruments

A decontamination room separate from patient treatment areas and dedicated to the decontamination process was available. The decontamination room facilitates the flow from dirty through to clean areas for the cleaning and sterilising of reusable instruments.

The processes in respect of the decontamination of reusable dental instruments are being audited in line with best practice outlined in HTM 01-05 using the IPS audit tool.

Arrangements were in place to ensure that staff receive training in respect of the decontamination of reusable dental instruments commensurate with their roles and responsibilities.

A review of current practice evidenced that arrangements are in place to ensure that reusable dental instruments are appropriately cleaned, sterilised and stored following use in keeping with best practice guidance as outlined in HTM 01-05.

Appropriate equipment, including a washer disinfectant and steam steriliser has been provided to meet the practice requirements. The equipment used in the decontamination process had been appropriately validated and inspected in keeping with the written scheme of examination and equipment logbooks evidenced that periodic tests are undertaken and recorded in keeping with HTM 01-05.

Staff are aware of what equipment in the practice should be treated as single use and what equipment is suitable for decontamination. It was confirmed that single use devices are only used for single-treatment episodes and disposed of following use.

Areas of good practice

A review of the current arrangements evidenced that best practice as outlined in HTM 01-05 is being achieved in respect of the decontamination of reusable dental instruments. This includes proactively auditing practice, taking action when issues are identified and ensuring staff have the knowledge and skills to ensure standards are maintained.

Areas for improvement

No areas for improvement were identified during the inspection.

| | Regulations | Standards |
|------------------------------|-------------|-----------|
| Areas for improvement | 0 | 0 |

5.4 Radiology and radiation safety

Radiology and radiation safety

The practice has one surgery which has an intra-oral x-ray machine.

It was confirmed that the contracted dentist as the radiation protection supervisor is aware of the most recent changes to the legislation surrounding radiology and radiation safety and a radiation protection advisor (RPA) and medical physics expert (MPE) have been appointed.

A dedicated radiation protection file containing all relevant information was in place. The RPS regularly reviews the information contained within the file to ensure that it is current.

The appointed RPA completes a quality assurance check every three years. A review of the report of the most recent visit by the RPA in February 2018 demonstrated that any recommendations made have been addressed.

Mr and Mrs O’Hare demonstrated sound knowledge of radiology and radiation safety in keeping with their roles and responsibilities.

The intra oral x-ray machine is serviced annually but has not been used in over three years. Mr and Mrs O’Hare confirmed that the contracted dentist takes a proactive approach to radiation safety and protection and would conduct a range of audits, including x-ray quality grading and justification and clinical evaluation recording in the event of the machine ever being used.

Areas of good practice

A review of radiology and radiation safety arrangements evidenced that the radiation protection supervisor for this practice would takes a proactive approach to the management of radiology and radiation safety.

Areas for improvement

No areas for improvement were identified during the inspection.

| | Regulations | Standards |
|------------------------------|-------------|-----------|
| Areas for improvement | 0 | 0 |

5.5 Equality data

Equality data

The arrangements in place in relation to the equality of opportunity for patients and the importance of staff being aware of equality legislation and recognising and responding to the diverse needs of patients was discussed with Mrs O’Hare who confirmed that the equality data collected was managed in line with best practice.

5.6 Patient and staff views

Twenty patients submitted questionnaire responses to RQIA. All patients indicated that they felt their care was safe and effective, that they were treated with compassion and that the service was well led. All patients indicated that they were very satisfied with each of these areas of their care. The following comments were provided:

- “Great treatment from a great practice.”
- “I am very happy with the care I received.”

Staff were invited to complete an on-line questionnaire. No staff submitted questionnaire responses to RQIA.

5.7 Total number of areas for improvement

| | Regulations | Standards |
|--|-------------|-----------|
| Total number of areas for improvement | 0 | 0 |

6.0 Quality improvement plan

There were no areas for improvement identified during this inspection, and a quality improvement plan (QIP) is not required or included, as part of this inspection report.



The Regulation and Quality Improvement Authority

9th Floor

Riverside Tower

5 Lanyon Place

BELFAST

BT1 3BT

Tel 028 9536 1111

Email info@rqia.org.uk

Web www.rqia.org.uk

Twitter @RQIANews