

Inspection Report

9 April 2025



Beyond Skin Clinic Limited

Type of service: Independent Hospital-Cosmetic Laser\Intense Pulsed Light

Address: 14 College Street, Belfast, BT1 6BT

Telephone number: 028 9033 3858

www.rqia.org.uk

Assurance, Challenge and Improvement in Health and Social Care

Information on legislation and standards underpinning inspections can be found on our website <https://www.rqia.org.uk/> [The Independent Health Care Regulations \(Northern Ireland\) 2005](#) and [Minimum Care Standards for Independent Healthcare Establishments \(July 2014\)](#)

1.0 Service information

<p>Organisation/Provider: Beyond Skin Clinic Limited</p> <p>Responsible Individual: Gillian Leanne Rossborough</p>	<p>Registered Manager: Gillian Leanne Rossborough</p> <p>Date registered: 20 July 2016</p>
<p>Person in charge at the time of inspection: Gillian Leanne Rossborough</p>	
<p>Categories of care: Independent Hospital (IH) Prescribed techniques or prescribed technology: establishments using Class 3B or Class 4 lasers PT(L) and Prescribed techniques or prescribed technology: establishments using intense light sources PT(IL)</p>	
<p>Brief description of how the service operates: Beyond Skin Clinic Limited is registered with the Regulation and Quality Improvement Authority (RQIA) as an Independent Hospital (IH) with the following categories of care: PT(L) Prescribed techniques or prescribed technology: establishments using Class 3B or Class 4 lasers and PT(IL) Prescribed techniques or prescribed technology: establishments using intense light sources.</p> <p>A discussion took place with Mrs Rossborough regarding the range of treatments provided at Beyond Skin Clinic Limited. Mrs Rossborough told us that currently only laser treatments are being provided and treatments with the intense pulse light (IPL) machine are no longer being offered. Mrs Rossborough was advised to submit a variation to the RQIA in relation to their registration status to remove the following category of care: PT(IL) Prescribed techniques or prescribed technology: establishments using intense light sources to the RQIA.</p> <p>Beyond Skin Clinic Limited also provides a range of cosmetic treatments. This inspection focused solely on those treatments using a Class 4 laser machine that fall within regulated activity and the categories of care for which the establishment is registered with RQIA.</p> <p>Equipment available in the service:</p> <p>Laser equipment: Manufacturer: Cynosure Model: Elite Plus Serial Number: ELM+0351 Laser Class: 4 Wavelength: 755nm (Alexandrite) & 1064nm (Nd:YAG)</p>	

Manufacturer: Cynosure
 Model: Elite Plus
 Serial Number: ELM+2009
 Laser Class: 4
 Wavelength: 755nm (Alexandrite) & 1064nm (Nd:YAG)

Types of laser treatments provided:

Hair reduction
 Skin rejuvenation

2.0 Inspection summary

This was an announced inspection, undertaken by two care inspector on 9 April 2025 from 10.00 am to 12.15 pm.

The purpose of the inspection was to assess progress with areas for improvement identified during the last care inspection and to assess compliance with the legislation and minimum standards.

There was evidence of good practice concerning staff recruitment; authorised operator training; safeguarding; laser and IPL safety; management of medical emergencies; infection prevention and control; the management of clinical records; and effective communication between clients and staff.

Additional areas of good practice identified included maintaining client confidentiality, ensuring the core values of privacy and dignity were upheld and providing the relevant information to allow clients to make informed choices.

No immediate concerns were identified regarding the delivery of front line client care.

3.0 How we inspect

RQIA is required to inspect registered services in accordance with legislation. To do this, we gather and review the information we hold about the service, examine a variety of relevant records, meet and talk with staff and management and observe practices on the day of the inspection.

The information obtained is then considered before a determination is made on whether the establishment is operating in accordance with the relevant legislation and minimum standards. Examples of good practice are acknowledged and any areas for improvement are discussed with the person in charge and detailed in the quality improvement plan (QIP).

4.0 What people told us about the service

Clients were not present on the day of the inspection and client feedback was assessed by reviewing the most recent client satisfaction surveys completed by Beyond Skin Clinic Limited.

Posters were issued to Beyond Skin Clinic Limited by RQIA prior to the inspection inviting clients and staff to complete an electronic questionnaire. No completed client questionnaires were submitted to RQIA prior to the inspection.

One staff member submitted questionnaire responses which indicated that they felt client care was safe, effective, that clients were treated with compassion and that the service was well led. The member of staff indicated that they were very satisfied with each of these areas of client care.

5.0 The inspection

5.1 What has this service done to meet any areas for improvement identified at or since last inspection?

The last inspection to Beyond Skin Clinic Limited was undertaken on 15 December 2023; no areas for improvement were identified.

5.2 Inspection outcome

5.2.1 How does this service ensure that staffing levels are safe to meet the needs of clients and staff are suitably trained?

Mrs Rossborough confirmed that laser treatments are only carried out by authorised operators. A register of authorised operators for the laser is maintained and kept up to date.

A review of completed induction programmes evidenced that induction training is provided to new staff on commencement of employment.

A review of training records evidenced that authorised operators have up to date training in core of knowledge training, application training for the equipment in use, basic life support, infection prevention and control, fire safety awareness and safeguarding adults at risk of harm in keeping with the RQIA training guidance.

All other staff employed at the establishment, but not directly involved in the use of the laser equipment, had received laser safety awareness training.

It was determined that appropriate staffing levels were in place to meet the needs of clients and that staff are suitably trained.

5.2.2 How does the service ensure that recruitment and selection procedures are safe?

Recruitment and selection policies and procedures were in place, which adhered to legislation and best practice guidance for the recruitment of authorised operators. These arrangements will ensure that all required recruitment documentation has been sought and retained for inspection.

Discussion with Mrs Rossborough identified that there had been one authorised operator recruited since the previous inspection however they had since left their position. Mrs Rossborough confirmed that should authorised operators be recruited in the future, all recruitment documentation as outlined in Schedule 2 of The Independent Health Care Regulations (Northern Ireland) 2005 would be sought and retained for inspection.

There was evidence of job descriptions and induction checklists for authorised operators.

Discussion with Mrs Rossborough confirmed that she had a clear understanding of the legislation and best practice guidance in relation to recruitment and selection.

It was determined that the recruitment of authorised operators complies with the legislation and best practice guidance.

5.2.3 How does the service ensure that it is equipped to manage a safeguarding issue should it arise?

Mrs Rossborough stated that laser treatments are not provided to persons under the age of 18 years.

A policy and procedure was in place for the safeguarding and protection of adults and children at risk of harm. The policy included the types and indicators of abuse and distinct referral pathways in the event of a safeguarding issue arising with an adult or child. The relevant contact details were included for onward referral to the local Health and Social Care Trust should a safeguarding issue arise.

Discussion with Mrs Rossborough confirmed that she was aware of the types and indicators of abuse and the actions to be taken in the event of a safeguarding issue being identified.

Review of records demonstrated that Mrs Rossborough, as the safeguarding lead, has completed formal level three training in safeguarding adults in keeping with the Northern Ireland Adult Safeguarding Partnership (NIASP) training strategy (revised 2016) and minimum standards.

It was confirmed that a copy of the regional policy entitled the regional guidance document entitled Adult Safeguarding Prevention and Protection in Partnership (July 2015) was available for reference. Advice and guidance was provided to Mrs Rossborough to ensure that a copy of Co-operating to Safeguard Children and Young People in Northern Ireland (August 2017) is readily available. Mrs Rossborough provided assurances that this matter would be addressed.

It was determined that the service had appropriate arrangements in place to manage a safeguarding issue should it arise.

5.2.4 How does the service ensure that medical emergency procedures are safe?

All authorised operators had up to date training in basic life support and were aware of what action to take in the event of a medical emergency. There was a written protocol in place for dealing with recognised medical emergencies. Advice and guidance was provided to Mrs Rossborough to develop an explanatory grab pack to accompany an injured person to accident and emergency or an eye clinic. Mrs Rossborough gave us assurances this matter would be addressed.

As a result of actions taken following the inspection it was determined that the service had appropriate arrangements in place to manage a medical emergency.

5.2.5 How does the service ensure that it adheres to infection prevention and control (IPC) and decontamination procedures?

The IPC arrangements were reviewed throughout the establishment to evidence that the risk of infection transmission to clients, visitors and staff was minimised.

There was an overarching IPC policy and associated procedures in place. A review of these documents demonstrated that they were comprehensive and reflected legislation and best practice guidance.

The laser treatment room observed was clean and clutter free. Discussion with Mrs Rossborough evidenced that appropriate procedures were in place for the decontamination of equipment between use. Hand washing facilities were available and adequate supplies of personal protective equipment (PPE) were provided. As discussed previously, Mrs Rossborough had up to date training in IPC.

Mrs Rossborough is aware that the Department of Health (DOH) and Public Health Agency (PHA) websites provide advisory information, guidance and alerts with regards to IPC.

It was determined that the service had appropriate arrangements in place in relation to IPC and decontamination.

5.2.6 How does the service ensure the environment is safe?

The premises were maintained to a good standard of maintenance and décor. Cleaning schedules for the establishment were in place.

Observations made evidenced that a carbon dioxide (CO₂) fire extinguisher is available which has been serviced within the last year.

It was determined that appropriate arrangements were in place to maintain the environment.

5.2.7 How does the service ensure that laser procedures are safe?

A laser safety file was in place which contained the relevant information in relation to laser equipment. There was written confirmation of the appointment and duties of a certified laser protection advisor (LPA) which is reviewed on an annual basis. The service level agreement between the establishment and the LPA was reviewed and this expires on 24 June 2025.

Up to date, local rules were in place which have been developed by the LPA. The local rules contained the relevant information about the laser equipment being used.

The establishment's LPA completed a risk assessment of the premises during June 2024 and all recommendations made by the LPA have been addressed.

Mrs Rossborough confirmed that laser procedures are carried out following medical treatment protocols.

The medical treatment protocols had been produced by a named registered medical practitioner. It was demonstrated that the protocols contained the relevant information about the treatments being provided and are due to expire during June 2025. It was established that systems are in place to review the medical treatment protocols when due.

Mrs Rossborough, as the laser protection supervisor (LPS) and authorised operator has overall responsibility for safety during laser treatments and a list of authorised operators is maintained. Authorised operators had signed to state that they had read and understood the local rules and medical treatment protocols.

When the laser equipment is in use, the safety of all persons in the controlled area is the responsibility of the LPS.

The environment in which the laser equipment is used was found to be safe and controlled to protect other persons while treatment is in progress. The controlled area is clearly defined and not used for other purposes, or as access to areas, when treatment is being carried out.

The door to the treatment room is locked when the laser equipment is in use but can be opened from the outside in the event of an emergency. Authorised operators were aware that the laser safety warning signs should only be displayed when the laser equipment is in use and removed when not in use.

The laser is operated using a key. Arrangements are in place for the safe custody of the key when not in use. Protective eyewear is available for the client and operator as outlined in the local rules.

Beyond Skin Clinic Limited has two laser registers.

Mrs Rossborough told us that they complete the relevant section of the register every time the equipment is operated. The registers reviewed included:

- the name of the person treated
- the date
- the operator
- the treatment given
- the precise exposure
- any accident or adverse incident

There are arrangements in place to service and maintain the laser equipment in line with the manufacturer's guidance. The most recent service report of the laser was reviewed.

It was determined that appropriate arrangements were in place to operate the laser equipment.

5.2.8 How does the service ensure that clients have a planned programme of care and have sufficient information to consent to treatment?

Mrs Rossborough confirmed that clients are provided with an initial consultation to discuss their treatment and any concerns they may have. There is written information for clients that provides a clear explanation of any treatment and includes pre and post treatment information.

The service has a list of fees available for each laser procedure. Fees for treatments are agreed during the initial consultation and may vary depending on the type of treatment provided and the individual requirements of the client.

During the initial consultation, patients are asked to complete a health questionnaire. Advice and guidance was provided to Mrs Rossborough to ensure that a system is in place to record the patient's general practitioner (GP) details in keeping with legislative requirements. Following the inspection, Mrs Rossborough provided assurances that this matter has been addressed and GP details will be recorded for all clients going forward.

Two client care records were reviewed. There was an accurate and up to date treatment record for every client which included:

- client details
- medical history
- signed consent form
- skin assessment (where appropriate)
- patch test (where appropriate)
- record of treatment delivered including number of shots and fluence settings (where appropriate)

Observations made evidenced that client records are securely stored. A policy and procedure was available which included the creation, storage, recording, retention and disposal of records and data protection.

The service has a policy for advertising and marketing.

As a result of actions taken it was determined that appropriate arrangements are in place to ensure that clients have a planned programme of care and have sufficient information to consent to treatment.

5.2.9 How does the service ensure that clients are treated with dignity, respect and are involved in the decision making process?

Discussion with Mrs Rossborough regarding the consultation and treatment process confirmed that clients are treated with dignity and respect. The consultation and treatment are provided in a private room with the client and authorised operator present. Information is provided to the client in verbal and written form at the initial consultation and subsequent treatment sessions to allow the client to make choices about their care and treatment and provide informed consent.

Mrs Rossborough told us that clients are provided with the opportunity to complete a satisfaction survey when their treatment is complete. The results of these are collated to provide an anonymised summary report which is made available to clients and other interested parties. Mrs Rossborough confirmed that an action plan would be developed to inform and improve services provided, if appropriate.

Review of the most recent client satisfaction report found that clients were highly satisfied with the quality of treatment, information and care received.

It was determined that appropriate arrangements were in place to ensure that clients are treated with dignity, respect and are involved in decisions regarding their choice of treatment.

5.2.10 How does the registered provider assure themselves of the quality of the services provided?

Where the business entity operating the service is a corporate body or partnership or an individual owner who is not in day to day management of the practice, unannounced quality monitoring visits by the registered provider must be undertaken and documented every six months; as required by Regulation 26 of The Independent Health Care Regulations (Northern Ireland) 2005.

Mrs Rossborough was in day to day management of the practice, therefore the unannounced quality monitoring visits by the registered provider are not applicable.

Policies and procedures were available outlining the arrangements associated with the laser treatments. Observations made confirmed that policies and procedures were indexed, dated and systematically reviewed on a three yearly basis or more frequently if required.

The arrangements for the management of complaints and incidents were reviewed to ensure that they were being managed in keeping with legislation and best practice guidance.

The complaints policy and procedure provided clear instructions for patients and staff to follow. Clients were made aware of how to make a complaint by way of the client's guide.

Arrangements were in place to record any complaint received in a complaints register and retain all relevant records including details of any investigation undertaken, all communication with complainants, the outcome of the complaint and the complainant's level of satisfaction.

A review of records confirmed that no complaints had been received since the previous inspection.

Discussion with Mrs Rossborough confirmed that an incident policy and procedure was in place which includes the reporting arrangements to RQIA. Advice and guidance was provided to further develop the incident policy. Following the inspection, RQIA received confirmation that this matter had been addressed. Mrs Rossborough confirmed that incidents would be effectively documented and investigated in line with legislation. All relevant incidents are reported to RQIA and other relevant organisations in accordance with legislation and RQIA [Statutory Notification of Incidents and Deaths](#). Arrangements are in place to audit adverse incidents to identify trends and improve service provided.

Mrs Rossborough demonstrated a clear understanding of her role and responsibility in accordance with legislation.

Mrs Rossborough confirmed that the statement of purpose and client's guide are kept under review, revised and updated when necessary and available on request.

The RQIA certificate of registration was displayed in a prominent place.

Observation of insurance documentation confirmed that current insurance policies were in place.

As a result of actions taken following the inspection it was determined that suitable arrangements are in place to enable the responsible individual to assure themselves of the quality of the services provided.

6.0 Quality Improvement Plan/Areas for Improvement

	Regulations	Standards
Total number of Areas for Improvement	0	0

This inspection resulted in no areas for improvement being identified. Findings of the inspection were discussed with Mrs Rossborough, responsible individual, as part of the inspection process and can be found in the main body of the report.



The Regulation and Quality Improvement Authority

RQIA, 1st Floor
James House
Gasworks
2 – 4 Cromac Avenue
Belfast
BT7 2JA

Tel 028 9536 1111
Email info@rqia.org.uk
Web www.rqia.org.uk
📍 @RQIANews

Assurance, Challenge and Improvement in Health and Social Care