

Inspection Report

28 March 2025



Elise Clinic

Type of service: Independent Hospital- Intense Pulsed Light
Address: 25 Linenhall Street, Armagh, BT61 7DL
Telephone number: 028 3751 1326

www.rqia.org.uk

Assurance, Challenge and Improvement in Health and Social Care

Information on legislation and standards underpinning inspections can be found on our website <https://www.rqia.org.uk/> [The Independent Health Care Regulations \(Northern Ireland\) 2005](#) and [Minimum Care Standards for Independent Healthcare Establishments \(July 2014\)](#)

1.0 Service information

<p>Organisation/Provider: Rachel Sinnamon & Denise Watt t/a Elise Clinic</p> <p>Registered Persons: Mrs Rachel Sinnamon Ms Denise Watt</p>	<p>Registered Manager: Mrs Rachel Sinnamon</p> <p>Date registered: 15 February 2018</p>
<p>Persons in charge at the time of inspection: Mrs Rachel Sinnamon and Ms Denise Watt</p>	
<p>Categories of care: Independent Hospital (IH) Prescribed techniques or prescribed technology: establishments using intense light sources PT(IL)</p>	
<p>Brief description of how the service operates: Elise Clinic is registered with the Regulation and Quality Improvement Authority (RQIA) as an Independent Hospital (IH) with the following categories of care: PT(IL) Prescribed techniques or prescribed technology: establishments using intense light sources.</p> <p>Elise Clinic also provides a range of cosmetic treatments. This inspection focused solely on those treatments using an intense pulse light (IPL) machine that fall within regulated activity and the categories of care for which the establishment is registered with RQIA.</p> <p>Equipment available in the service:</p> <p>Multi platform equipment: Manufacturer: Viora Model: V20 Multi Platform IPL Serial Number: RHAG 2025 12011 Wavelength: 415 nm to 1200 nm Handpieces: IPL hand piece only</p> <p>The Viora V20 is a multi-platform machine that is capable of operating as a laser and an IPL by changing the hand piece.</p> <p>Types of IPL treatments provided: Hair removal, Skin rejuvenation, Red veins</p>	

2.0 Inspection summary

This was an announced inspection, undertaken by two care inspectors on 28 March 2025 from 10.00 am to 1.30 pm.

The purpose of the inspection was to assess progress with areas for improvement identified during the last care inspection and to assess compliance with the legislation and minimum standards.

There was evidence of good practice concerning staff recruitment; authorised operator training; safeguarding; IPL safety; management of medical emergencies; infection prevention and control; the management of clinical records; and effective communication between clients and staff.

Additional areas of good practice identified included maintaining client confidentiality, ensuring the core values of privacy and dignity were upheld and providing the relevant information to allow clients to make informed choices.

No immediate concerns were identified regarding the delivery of front line client care.

3.0 How we inspect

RQIA is required to inspect registered services in accordance with legislation. To do this, we gather and review the information we hold about the service, examine a variety of relevant records, meet and talk with staff and management and observe practices on the day of the inspection.

The information obtained is then considered before a determination is made on whether the establishment is operating in accordance with the relevant legislation and minimum standards. Examples of good practice are acknowledged and any areas for improvement are discussed with the person in charge and detailed in the quality improvement plan (QIP).

4.0 What people told us about the service

Clients were not present on the day of the inspection and client feedback was assessed by reviewing the most recent client satisfaction surveys completed by Elise Clinic. This is discussed further in section 5.2.9.

Posters were issued to Elise Clinic by RQIA prior to the inspection inviting clients and staff to complete an electronic questionnaire. No completed client or staff questionnaires were submitted to RQIA prior to the inspection.

5.0 The inspection

5.1 What has this service done to meet any areas for improvement identified at or since last inspection?

Areas for improvement from the last inspection on 23 January 2024		
Action required to ensure compliance with The Independent Health Care Regulations (Northern Ireland) 2005		Validation of compliance
Area for Improvement 1 Ref: Regulation 17 (1) Stated: First time	The registered person shall undertake a formal annual process of seeking client feedback; collate the results of the survey to provide an anonymised client satisfaction summary report to be made available to clients and, where appropriate, an action plan should be developed to inform and improve services. A copy of the client satisfaction summary report for 2023 should be provided to RQIA upon submission of this QIP.	Met
	Action taken as confirmed during the inspection: This area for improvement has been assessed as met and further detail is provided in section 5.2.9.	

5.2 Inspection outcome

5.2.1 How does this service ensure that staffing levels are safe to meet the needs of clients and staff are suitably trained?

Mrs Sinnamon and Ms Watt told us there are sufficient staff in the various roles to fulfil the needs of the establishment and clients.

Mrs Sinnamon and Ms Watt confirmed that IPL treatments are only carried out by authorised operators. A register of authorised operators for the IPL machine is maintained and kept up to date.

A review of completed induction programmes evidenced that induction training is provided to new staff on commencement of employment.

A review of training records evidenced that authorised operators have up to date training in core of knowledge, application training for the equipment in use, infection prevention and control (IPC), fire safety awareness and safeguarding adults at risk of harm in keeping with the RQIA training guidance. Confirmation of basic life support training for two authorised operators and fire safety awareness and IPC training for one authorised operators were provided to RQIA following the inspection.

All other staff employed at the establishment, but not directly involved in the use of the IPL equipment, had received laser safety awareness training.

As a result of the action taken following the inspection it was determined that appropriate staffing levels were in place to meet the needs of clients and that staff are suitably trained.

5.2.2 How does the service ensure that recruitment and selection procedures are safe?

Recruitment and selection policies and procedures were in place, which adhered to legislation and best practice guidance for the recruitment of authorised operators. Mrs Sinnamon and Ms Watt confirmed that there have been no authorised operators recruited since the last inspection.

During discussion Mrs Sinnamon confirmed that should authorised operators be recruited in the future all recruitment documentation as outlined in Schedule 2 of The Independent Health Care Regulations (Northern Ireland) 2005 would be sought and retained for inspection.

Discussion with Mrs Sinnamon confirmed that she had a clear understanding of the legislation and best practice guidance in relation to recruitment and selection.

It was determined that the recruitment of authorised operators complies with the legislation and best practice guidance.

5.2.3 How does the service ensure that it is equipped to manage a safeguarding issue should it arise?

Mrs Watt stated that IPL treatments are not provided to persons under the age of 18 years.

A policy and procedure was in place for the safeguarding and protection of adults at risk of harm. The policy included the types and indicators of abuse and distinct referral pathways in the event of a safeguarding issue arising with an adult or child. The relevant contact details were included for onward referral to the local Health and Social Care Trust should a safeguarding issue arise.

Mrs Sinnamon is aware of the types and indicators of abuse and the actions to be taken in the event of a safeguarding issue being identified.

Review of records demonstrated that Mrs Sinnamon, as the safeguarding lead, has completed formal level two training in safeguarding adults in keeping with the Northern Ireland Adult Safeguarding Partnership (NIASP) training strategy (revised 2016) and minimum standards.

It was confirmed that a copy of the regional guidance document entitled Adult Safeguarding Prevention and Protection in Partnership (July 2015) was available for reference.

It was determined that the service had appropriate arrangements in place to manage a safeguarding issue should it arise.

5.2.4 How does the service ensure that medical emergency procedures are safe?

As discussed in section 5.2.1, following the inspection it was confirmed that all authorised operators had up to date training in basic life support. Mrs Sinnamon was aware of what action to take in the event of a medical emergency. There was a written protocol in place for dealing with recognised medical emergencies.

As a result of the action taken following the inspection it was determined that the service had appropriate arrangements in place to manage a medical emergency.

5.2.5 How does the service ensure that it adheres to infection prevention and control (IPC) and decontamination procedures?

The IPC arrangements were reviewed throughout the establishment to evidence that the risk of infection transmission to clients, visitors and staff was minimised.

There was an overarching IPC policy and associated procedures in place. A review of these documents demonstrated that they were comprehensive and reflected legislation and best practice guidance.

The IPL treatment room was clean and clutter free. Discussion with Ms Watt evidenced that appropriate procedures were in place for the decontamination of equipment between use. Hand washing facilities were available and adequate supplies of personal protective equipment (PPE) were provided. As discussed previously, confirmation that both authorised operators had up to date training in IPC was provided to RQIA following the inspection.

Mrs Sinnamon and Ms Watt are aware that the Department of Health (DOH) and Public Health Agency (PHA) websites provide advisory information, guidance and alerts with regards to IPC.

As a result of the action taken following the inspection it was determined that the service had appropriate arrangements in place in relation to IPC and decontamination.

5.2.6 How does the service ensure the environment is safe?

The premises were maintained to a good standard of maintenance and décor. Cleaning schedules for the establishment were in place.

Observations made evidenced that a carbon dioxide (CO₂) fire extinguisher is available which has been serviced within the last year.

It was determined that appropriate arrangements were in place to maintain the environment.

5.2.7 How does the service ensure that IPL procedures are safe?

A laser safety file was in place which contained the relevant information in relation to IPL equipment. There was written confirmation of the appointment and duties of a certified laser protection advisor (LPA) which is reviewed on an annual basis. The service level agreement between the establishment and the LPA was reviewed and this expires during April 2025.

Up to date, local rules were in place which have been developed by the LPA. The local rules contained the relevant information about IPL equipment being used.

The establishment's LPA completed a risk assessment of the premises during December 2024 and all recommendations made by the LPA have been addressed.

Mrs Sinnamon confirmed that IPL procedures are carried out following medical treatment protocols. The medical treatment protocols had been produced by a named registered medical practitioner. It was demonstrated that the protocols contained the relevant information about the treatments being provided and are due to expire during April 2025. It was established that systems are in place to review the medical treatment protocols when due.

Mrs Sinnamon, as the laser protection supervisor (LPS) and authorised operator has overall responsibility for safety during IPL treatments and a list of authorised operators is maintained. Authorised operators had signed to state that they had read and understood the local rules and medical treatment protocols.

When the IPL equipment is in use, the safety of all persons in the controlled area is the responsibility of the LPS.

The environment in which the IPL equipment is used was found to be safe and controlled to protect other persons while treatment is in progress. The controlled area is clearly defined and not used for other purposes, or as access to areas, when treatment is being carried out.

The door to the treatment room is locked when the IPL equipment is in use but can be opened from the outside in the event of an emergency. Mrs Sinnamon is aware that the laser safety warning sign should only be displayed when the IPL equipment is in use and removed when not in use.

The IPL machine is operated using a key and keypad code. Arrangements are in place for the safe custody of the key and keypad code when not in use. Protective eyewear is available for the client and operator as outlined in the local rules.

Elise Clinic has an IPL register. Ms Watt told us that they complete the relevant section of the register every time the equipment is operated. The register reviewed included:

- the name of the person treated
- the date
- the operator

- the treatment given
- the precise exposure
- any accident or adverse incident

There are arrangements in place to service and maintain IPL equipment in line with the manufacturer's guidance. The most recent service report of the IPL was reviewed.

It was determined that appropriate arrangements were in place to operate the IPL equipment.

5.2.8 How does the service ensure that clients have a planned programme of care and have sufficient information to consent to treatment?

Ms Watt confirmed that clients are provided with an initial consultation to discuss their treatment and any concerns they may have. There is written information for clients that provides a clear explanation of any treatment and includes pre and post treatment information.

The service has a list of fees available for each IPL procedure. Fees for treatments are agreed during the initial consultation and may vary depending on the type of treatment provided and the individual requirements of the client.

During the initial consultation each client's personal information is recorded including their general practitioner (GP) details in keeping with legislative requirements and clients are asked to complete a health questionnaire.

Two client care records were reviewed. There was an accurate and up to date treatment record for each client which included:

- client details
- medical history
- signed consent form
- skin assessment (where appropriate)
- patch test (where appropriate)
- record of treatment delivered including number of shots and fluency settings (where appropriate)

Observations made evidenced that client records are securely stored. A policy and procedure was available which included the creation, storage, recording, retention and disposal of records and data protection.

The service has a policy for advertising and marketing.

It was determined that appropriate arrangements were in place to ensure that clients have a planned programme of care and have sufficient information to consent to treatment.

5.2.9 How does the service ensure that clients are treated with dignity, respect and are involved in the decision making process?

Discussion with Ms Watt regarding the consultation and treatment process confirmed that clients are treated with dignity and respect. The consultation and treatment are provided in a private room with the client and authorised operator present. Information is provided to the client in verbal and written form at the initial consultation and subsequent treatment sessions to allow the client to make choices about their care and treatment and provide informed consent.

Mrs Sinnamon told us that clients are provided with the opportunity to complete a satisfaction survey when their treatment is complete. The results of these are collated to provide an anonymised summary report which is made available to clients and other interested parties. Mrs Sinnamon is aware that an action plan should be developed to inform and improve services provided, if appropriate. A client satisfaction report for 2024 was available for review during the inspection.

Following the last inspection Mrs Sinnamon and Ms Watt submitted a client satisfaction report for 2023 which found clients were very satisfied with the quality of treatment, information and care received. It was determined that the previous area for improvement 1 made against the regulations, as outlined in section 5.1, has been met.

It was determined that appropriate arrangements were in place to ensure that clients are treated with dignity, respect and are involved in decisions regarding their choice of treatment.

5.2.10 How does the registered provider assure themselves of the quality of the services provided?

Where the business entity operating the service is a corporate body or partnership or an individual owner who is not in day to day management of the service, unannounced quality monitoring visits by the registered provider must be undertaken and documented every six months; as required by Regulation 26 of The Independent Health Care Regulations (Northern Ireland) 2005.

Mrs Sinnamon and Ms Watt are in day to day management of the practice, therefore the unannounced quality monitoring visits by the registered provider are not applicable.

Policies and procedures were available outlining the arrangements associated with the IPL treatments. Observations made confirmed that policies and procedures were indexed, dated and systematically reviewed on a three yearly basis or more frequently if required.

The arrangements for the management of complaints and incidents were reviewed to ensure that they were being managed in keeping with legislation and best practice guidance.

The complaints policy and procedure provided clear instructions for patients and staff to follow. Clients were made aware of how to make a complaint by way of the client's guide.

Arrangements were in place to record any complaint received in a complaints register and retain all relevant records including details of any investigation undertaken, all communication with complainants, the outcome of the complaint and the complainant's level of satisfaction.

Discussion with Mrs Sinnamon and Ms Watt confirmed that no complaints had been received since the previous inspection.

A review of records confirmed that an incident policy and procedure was in place which includes the reporting arrangements to RQIA. Mrs Sinnamon confirmed that incidents would be effectively documented and investigated in line with legislation. All relevant incidents are reported to RQIA and other relevant organisations in accordance with legislation and RQIA Statutory Notification of Incidents and Deaths. Arrangements are in place to audit adverse incidents to identify trends and improve service provided.

Mrs Sinnamon and Ms Watt demonstrated a clear understanding of their roles and responsibilities in accordance with legislation.

Mrs Sinnamon and Ms Watt are aware that the statement of purpose and client's guide are to be kept under review, revised and updated when necessary and available on request.

The RQIA certificate of registration was displayed in a prominent place.

Observation of insurance documentation confirmed that current insurance policies were in place.

It was determined that suitable arrangements are in place to enable Mrs Sinnamon and Ms Watt to assure themselves of the quality of the services provided.

5.2.11 Does the service have suitable arrangements in place to record equality data?

The arrangements in place in relation to the equality of opportunity for clients and the importance of staff being aware of equality legislation and recognising and responding to the diverse needs of clients was discussed with Ms Watt.

6.0 Quality Improvement Plan/Areas for Improvement

This inspection resulted in no areas for improvement being identified. Findings of the inspection were discussed with Mrs Sinnamon and Ms Watt, Registered Persons, as part of the inspection process and can be found in the main body of the report.



The Regulation and Quality Improvement Authority

RQIA, 1st Floor
James House
Gasworks
2 – 4 Cromac Avenue
Belfast
BT7 2JA

Tel 028 9536 1111
Email info@rqia.org.uk
Web www.rqia.org.uk
📍 @RQIANews

Assurance, Challenge and Improvement in Health and Social Care